




Arab Republic of Egypt
Ministry of Education
Book Sector

Science and Life


Discover and Learn

Third Preparatory



2016 - 2017

غير مصرح بتداول هذا الكتاب
خارج وزارة التربية والتعليم



Prepared By

**Mr.
Mohamed Reda A. Ibrahim**

**Dr.
Mohamed Ahmed Abu leila**

**Dr.
Ahmed Reyad A. Hassan**

**Dr.
Usama Gebril Ahmed**

**Science Consultant :
Prof. Youssry Fouad Saweris**

All rights reserved

no part of this book
may be reproduced, stored in a retrieval system,
or transmitted in any form or by any means, electronic,
mechanical, photocopying, recording or otherwise,
without prior written permission of the Publishers.

Introduction

This book is considered a cornerstone in the second preparatory developed science curriculum, that achieves the objectives of developing curricula in order to cope with the 21st century.

Our curriculum aims to achieve the following educational directions:

- ✱ Highlighting the relation between Science and Technology in the science domain and its reflection on the development process.
- ✱ Emphasizing the suitable situations that distinguish the effect of the scientific and technological progress in producing knowledge.
- ✱ Emphasizing students practicing their active and conscious behaviour toward using the technological outcomes.
- ✱ Emphasizing students ability in the scientific thinking methodology, then the possibility for them to move from learning depending on receiving knowledge to learning depending on self-learning in an atmosphere of joy and amusement.
- ✱ Students depending on exploring to reach information and gain much experiences through developing the essential thinking skills such as observation, analysis, concluding and reasoning.
- ✱ Providing opportunities to students for practicing citizenship through the methods of self-learning and the team work spirit, negotiating and confessing, accepting others and rejecting extremists.
- ✱ Enriching students with various life skills, and the practical capabilities through increasing all interests in the practical and scientific domain.

This book contains four integrated units, each one contains a set of integrated lessons achieving the concerned objectives.

We hope that this book may benefit our sons for the favour of our country Egypt.

Preparation Team

CONTENTS

Unit 1: Force and Motion



Lesson 1: Motion in One Direction	2
Lesson 2: Graphic Representation of the Motion in a Straight Line	9
Lesson 3: Physical Quantities; Scalars and Vectors ..	16
Science, Technology and Society	24
Unit 1 Exercises	26

Unit 2: Light Energy (Mirrors and Lenses)



Lesson 1: Mirrors	30
Lesson 2: Lenses	39
Science, Technology and Society	48
Unit 2 Exercises	50

Unit 3: The Universe and the Solar System



Lesson 1: The Universe	54
Lesson 2: The Solar System	62
Science, Technology and Society	70
Unit 3 Exercises	72

Unit 4: Reproduction and Species Continuity



Lesson 1: Cell Division 76

Lesson 2: Sexual and Asexual Reproduction 84

Science, Technology and Society 90

Unit 4 Exercises 92

Safety in Science

Scientists know that they must work safely when doing experiments. You need to be careful when doing experiments too. Here are some safety tips to remember.

Safety Tips

- ✓ Read the steps of each experiment carefully.
- ✓ Wear safety goggles when needed.
- ✓ Clean up spills right away.
- ✓ Never taste or smell substances unless directed to do so by your teacher.
- ✓ Handle sharp items carefully.
- ✓ Tape sharp edges of materials.
- ✓ Handle thermometers carefully.
- ✓ Use chemicals carefully.
- ✓ Dispose of chemicals properly.
- ✓ Put materials away after you finish an experiment.
- ✓ Wash your hands after each experiment.



The first term - Unit one

Force and Motion

Introduction

In 1964, Japan operated the first fast electric train. The speed of this train reaches 200 kilometers / hour. This train was developed afterwards so that its speed reached 270 kilometers / hour, and it was named "The Bullet Train". The difference between this "bullet train" and other trains is that each of its carts is operated by an engine of its own. In this way, the train can move at extreme speeds more than the train that consists of a chain of carts pulled by one engine. The "bullet train" can move at an increasing velocity not a decreasing one.

The question is: At what distance from the station does the train start to slow down to stop directly at the platform?





UNIT OBJECTIVES



By the end of this unit, students should be able to :

- ✓ Describe motion and mention its types.
- ✓ Identify physical quantities necessary to describe the movement of objects.
- ✓ Link motion's laws to real life situations.
- ✓ Acquire mental skills in solving examples and problems on motion's law.
- ✓ Represent uniform speed graphically.
- ✓ Calculate the average speed of a moving object.
- ✓ Identify the concept of relative speed.
- ✓ Identify the concept of acceleration.
- ✓ Mention examples of some standards and vectors as physical quantities.

Included issues



- ♦ Safety and security.



Lesson 1
Motion in one direction




Lesson 2
Graphic representation of the motion in a straight line



Lesson 3
Physical quantities scalars and vectors

Motion in One Direction



Lesson objectives

By the end of this lesson, students should be able to:

- ✓ Describe motion identifying distance, time and speed.
- ✓ Distinguish between regular motion and irregular motion.
- ✓ Identify the concepts of uniform speed, irregular speed and average speed.
- ✓ Calculate the constant uniform speed of a moving object.
- ✓ Use the mathematical relation in calculating the average speed of moving body.
- ✓ Identify the concept of relative speed.



Lesson terms

- ◆ Regular speed.
- ◆ Average speed.
- ◆ Relative speed.

The concept of motion is linked to the change of an object's Position as time passes according to the Position of another object. To simplify the concept of motion, we only assume that the motion occurred in one direction such as the movement of the metro or train on rails is an example of moving in one direction. In this movement, the train moves forward or backward but it does not move upward or downward. Its path may be straight, curving or a combination of both. If the movement path is straight, It Is Called Straight Line Motion Which Represents The Simplest of Motion



▲ Figure (1): Metro movement is an example of one direction movement

Speed

In our daily life, the motion of object is described as fast or slow. To compare between the two concepts the term "**speed**" is used.

Example:

- If two cars – black car and white car – move on the same road (path,) the black car takes a time (t_1) in covering this path while the white car takes time (t_2).
- If the time span (t_1 second) is less than the time span (t_2 second), which one of these two cars is faster



as in figure (2) which one of the two cars is faster ? why ?

Why?

If the two cars move in two paths of different length,

- when the path length of the black car is (d_1 metres) and that of the white one is car (d_2 metre) which is shorter than d_1
- If the two cars cover the two paths at the same time span although d_1 is longer than d_2 ,
- Which one of the two cars is faster

Why?

Conclude: What are the two factors necessary for the movement description

1

2

We can conclude that the length and the time are the two basic factors necessary to describe the movement. Based on these two factors, we can identify a physical quantity called "**speed**".

Speed: it is the distance moved through a unit time.

1-1

Moving in one
direction

If an object covers a distance (Δd) with a short time span (Δt), the object's speed (v) during this time is

$$v = \frac{\Delta d}{\Delta t}$$

Speed is measured in meter / second (m/s), when distance is measured in meter and time is measured in second. It is also measured in kilometer / hour (km/h), when distance is measured in kilometer and time is measured in hour (as in the case of cars, trains, planes and ships,)

Uniform speed

Cars and planes are usually provided with a group of counters as speedometer, mileage, hour timer and compass.


The speedometer helps us in identifying the speed of the car directly. If the speedometer's pointer points to 72, this means that the car's speed is 72 kilometer/hour which is approximately 20 meters/second. If this reading stays constant during travel, we say that the car moves at regular (uniform) speed. This means that the car covers **equal distances in equal periods of time**.



▲ Figure (3): Speedometers

The unit for measuring the speed is meter/second (m/sec) or kilometer/hour (km/hr) as in the cars, trains and planes,
when the time equals 1 second and the distance is 1 meter, so the speed =

The following figure represents a car moving in a straight road



Study this figure and answer the following questions:

- What is the distance covers by the car in each second?
- Does the car cover equal distances in equal periods of time? (Yes / No)
- What is the speed of the car?meter / second.
- Does the car move at regular (uniform) speed? (Yes / No)

Generally, when the movement is at regular speed, the moving object covers equal distances at equal periods of times whether the distance and time are short.

This means that

$$v = \frac{d}{t}$$

for regular speed only

Where (d) is the distance moved during a period of time (t).

Irregular speed – average speed

It is hard to measure regular speed practically. If we observe of a car moving on a road, we find that its speed changes according to traffic; it does not stay constant. In this case the movement of the car is described as «movement at irregular speed».

In this case, it is useful to refer to another term which is the average speed (\bar{V}) known as the total distance that a moving object covers divided by the total time taken to cover this distance. This means that:



▲ Figure (5): The car's speed changes according to traffic.

$$\text{Average speed } (\bar{V}) = \frac{\text{total distance covered}}{\text{total time}}$$

In symbols it is

$$\bar{V} = \frac{d}{t}$$

Question

for thinking

- What is the thing that moves at constant speed in space?

- Average speed represents the regular speed by which the object moves to cover equal distances at same period of time.
- When the objects moves with a uniform speed, the average speed of the object = its uniform speed ($V = \bar{V}$),
- the speed is called non uniform when the object covers equal distances at unequal of periods of time or covers unequal distances at equal periods of time.

solved Example :

A runner covered a distance of 100 meters of a straight track in 10 seconds. Then, he returned back walking. He took 80 seconds to come back to the starting point of running.

The racer's average speed while running is calculated by this relation:

$$V = \frac{d}{t} = \frac{100}{10} = 10 \text{ meter / second}$$

His average speed while returning is:

$$V = \frac{d}{t} = \frac{100}{80} = 1.25 \text{ meter / second}$$

The racer's average speed during the whole trip is:

$$V = \frac{d}{t} = \frac{200}{90} = 2.22 \text{ meter / second}$$



▲ Figure (6): A runner in a 100 meters race.

Relative speed

If there is a person in a car that moves at 80 kilometers in a certain direction. Then, a car moves at 90 kilometers passed him in the same direction. This means that if there is a person standing on the side of the road and he observes the speed of the moving cars (this person is called the observer).

Therefore:

- The speed of the slow car relative to the observer standing on the ground = 80 kilometers /hour
- The speed of the fast car relative to the observer standing on the ground = 90 kilometers/ hour.
- As for the fast car relative to the passenger in the slow car is 10 kilometers/hour
- Does the value of the car's speed differ in relative to the change in the observer's position? (Yes / No)



▲ Figure (7): The relative speed

Therefore,

Measuring speeds depends on the position of the observer who determines the magnitude of this speed. This means that relative speed is the speed of the moving object relative to the observer.

We can conclude that:

The value of the car's speed relative to the observer standing on the ground differs from the value of the car's speed relative to an observer in another moving car. So, the relative speed depends on the position of the observer, this means that the relative speed is a speed of the moving object relative to the observer.

Lesson 1 exercises

1 Define the following:

- a** Uniform speed.
- b** Average speed.

2 Write a suitable word to complete the following sentences:

- a** The result of multiplying a speed of a moving object by time =
- b** is defined as the covered distance within a unit time.
- c** Speed measurement units are or
- d** The result of dividing the total distance that a moving object covers by the total time taken to cover this distance =

3 Write the scientific term that corresponds to each of the following statements:

- a** The distance that a moving object covers within a unit time.
- b** A moving object covers equal distances at equal periods of time.
- c** The total distance that a moving object covers divided by the total time taken to cover this distance.
- d** The value of an object's speed relative to the observer.

4 What is meant by each of the following:

- a** The average speed of a moving car is 70 kms/hour.
- b** A car moving at a uniform speed = 80 kms/hour.
- c** A moving car covers a distance of 100 kilometers in two hours.
- d** An object moving in a straight line, covers a distance of 20 meters in one second.

5 A boy on a bike covers 300 meters in a minute and 420 meters in the next minute. Calculate its average speed:

- a** During the first minute
- b** During the second minute
- c** Within the two minutes.

Graphic Representation of Moving in a Straight Line



Lesson objectives

By the end of this lesson, students should be able to:

- ✓ Draw the graphic relation (distance - time) of a moving object at regular speed.
- ✓ Draw the graphic relation (speed - time) of moving object at irregular speed.
- ✓ Identify the concept of acceleration.
- ✓ Distinguish between increasing and decreasing accelerations.




Lesson terms

- ◆ Acceleration.

To understand many of the physical phenomena, mathematicians use mathematical relations between different variables to describe a specific phenomenon. As for physicists, they use mathematical methods like graphs and tables to predict the relation between certain physical quantities, understand practical results and describe the physical phenomena in an easier way.

For example, graphics can possibly represent the relation between the speed and time of a moving car.

If the car starts to move from rest (speed = zero) and after one second its speed becomes 2 m/sec. After another second, its speed increases to 5 m/sec. Then, the motorist had to use the brakes to slow down the car's speed to 1 m/sec in the third second and he stops completely after another second. It is possible to represent the movement graphically as the following:



▲ Figure (8): The graphic relationship (Speed - Time) of a car motion.



Representing the uniform speed graphically

Tools:

A toy car operated by a battery – smooth wooden board of about 2 meters length – a metric ruler or metric strip – stop watch

Procedures:

Collaborate with your classmates to do the following activity:

- 1 Place the wooden board at a horizontal position. Put two marks at a certain distance on the wooden board as in figure (9). Measure the distance between them (d).




▲ Figure (9) The relation between distance and time

- 2 Operate the car, and during that, another student measures the time (t) taken to cover this distance.
- 3 A third student repeats the experiment changing the two marks.
- 4 Exchange the tools with your colleagues and repeat the experiment.
- 5 Write the results in a table.
- 6 In each time, calculate the speed of the car from the relation: $V = d/t$.

The following table illustrates some readings that a group of students made:

The number of trial	The covered distance (d) meter	The time taken to cover the distance (t) second	The speed $V = d/t$ m/S
1	0.4	5	0.08
2	0.6	7.5	0.08
3	0.8	10	0.08
4	1.0	12.5	0.08

To illustrate the relation between distance (d) and time (t), we can draw a graph of the measured quantities. We use the distance (d) on the vertical axis (Y-axis) and time on the horizontal axis (X-axis) as in figure (10). Then, we place the readings in the table in the shape of dots. When we join these dots together, we find that they are located on a straight line passing the intersection point of the two axes. (the origin point). The resulting graphic line represents the car motion



▲ Figure (10): The graphic relationship (distance – time) of a car moving at a constant speed


Study the previous (distance - time) graph and conclude:

What is the proportional relation between distance (d) and time (t)?

Does the car move at a uniform speed? (Yes/No)

If we draw the relation between the speed (V) and time (t), we get a graphical relation as shown in figure 11.

Use the previous table to draw the graphical relation between the speed (V) and the time (t) which represents the car motion at a regular speed.



▲ Figure (11): the (Speed – Time) graph for a car moving at constant speed (uniform speed)

Study the previous relationship and conclude:

What is the value of the uniform speed of the car? meter/second

From the previous activity, some facts are clarified about the regular movement in a straight line.


- 1 The (distance – time) graph for regular motion at constant (uniform) speed is represented by a straight line passing through the origin point.
- 2 The (speed – time) graph for regular motion at constant (uniform) speed is represented by a straight line parallel to the time axis.

What is the concept of acceleration?

If you sit in a car next to the driver and the car starts moving from rest on a straight road, you notice that the car's speed increases by time. So, after a second the speed equals 3 meters/second.

After two seconds, the speed is 6 meters/second and after three seconds the speed becomes 9 meters/second. After four seconds, the speed becomes 12 meters/second.

To describe the movement of the car in this case, we use a physical quantity that expresses the change in the car's speed in one second. We call it "acceleration". As shown in figure (12), the car's speed increases at a constant rate (in a specific direction) and in this case the movement is described as "accelerating motion". But, if the car's speed decreases each second until it stops, the movement is described as a decreasing acceleration. Acceleration is the result of dividing the change in the car's speed (ΔV) by the time (Δt) in which the change occurs.



▲ Figure (12): What is the value of acceleration that the car move with?

$$\text{Acceleration (a)} = \frac{\text{Change in speed } (\Delta V)}{\text{Time } (\Delta t) \text{ in which change occurs}}$$

The change is represented by the symbol : Δ (delta)

This means that:

$$\text{Acceleration (a)} = \frac{\text{Final speed (V}_2\text{)} - \text{initial speed (V}_1\text{)}}{\text{Time } (\Delta t)}$$

What are the measurement units of acceleration?

We previously learnt that the speed measurement unit is meters/second and that time measurement unit is second.

$$\therefore \text{Acceleration units} = \frac{\text{Speed units}}{\text{Time units}} = \frac{\frac{\text{Meters}}{\text{second}}}{\text{Second}} = \text{meters/second}^2$$

- In the previously mentioned example, acceleration is $= \frac{V_2 - V_1}{t} = \frac{12 - \text{Zero}}{4} = 3$ meters / second²
- Acceleration increases if the object's speed increases by time.
- Acceleration decreases if the object's speed decreases by time.

This means that acceleration is the value of change of an object's speed in one second.

Question

for thinking

- A car whose movement starts from rest and then its speed increases to 15 m/sec through 5 seconds.
- Another car whose movement starts from rest and then its speed increases to 20 m/sec through 10 seconds.
- Which of the two cars is moving at greater acceleration?

Exercise: uniform acceleration

Assume that an object starts its movement from rest and in a straight line and assume that we record its speed every five seconds as in the following table:

Time (t) second	Speed (V) meters/second
0	0
5	10
10	20
15	30
20	40
25	50
30	60

What do you notice in the table?

Does the object's speed increase regularly during movement? (Yes /No)

What is the value of increase in the object's speed every five seconds?

Calculate the value of increase in the object's speed every second?

What is the value of the object's acceleration during this time(30 S.)?

In this case, we say that the object moves at a uniform acceleration. Uniform acceleration means that the object's speed changes (increases or decreases) by equal values through equal periods of time.

Example:

▲ Figure (13): A bus moving in a straight line .

On a straight line there is a moving bus whose speed changes from 6 meters/second to 12 meters/second during a period of three seconds, what is the value of acceleration?

Initial speed = V_1 = m/s

Final speed = V_2 = m/s

Time = s.




$$\text{Acceleration} = \frac{V_2 - V_1}{t} = \frac{\dots - \dots}{\dots}$$

$$= \dots \text{ m/s}^2$$

Lesson 2 exercises

1 Put a (✓) in front of the correct answer:

- a** Acceleration is:
- 1 Change in distance in unit time.
 - 2 Change in speed in unit time.
 - 3 Rate of change of distance relative to the speed.
- b** Movement is at uniform acceleration:
- 1 If the object's speed changes at equal values in equal time intervals.
 - 2 If distance that the object covers changes at equal values in equal time intervals.
 - 3 If the average speed equals the regular speed.
- c** Which of the following graphs represents the movement of an object at constant speed?



2 If an object moves from rest regularly until its speed reaches 10 meters/second after two seconds from the start of moving, so,

- a** The change of speed through two seconds = _____ m/s
- b** The change of speed through one second = _____ m/s
- c** Acceleration = _____ m/s²

3 On recording the results of an experiment in which an object moves, the results were as follows:

Distance (meter)	10	20	30
Time (second)	1	2	3

This object moves at:

- 1- Decreasing acceleration.
- 2- Uniform acceleration.
- 3- Uniform speed.

Physical quantities; scalars and vectors



Lesson objectives

By the end of this lesson, students should be able to:

- ✓ Identify the concept of physical quantities.
- ✓ Mention examples of some standards and vectors physical quantities.
- ✓ Compare between distance and displacement.
- ✓ Identify the concept of a velocity



Lesson terms

- ◆ Standards physical quantities.
- ◆ Vectors physical quantities.
- ◆ Displacement.
- ◆ Velocity.

The description and interpretation of physical phenomena represent the greatest part of physics. To understand these phenomena, it is necessary to deal with physical quantities and mathematical relationships. Each physical quantity is related with a measurement unit that characteristic to it. Examples of physical quantities are: mass – length – time – force.....



▲ Figure (14): Time is an example of physical quantities

Mention other examples of physical quantities:

All physical quantities are classified into two types:

- 1 Scalars.
- 2 Vectors.

What are the Scalar's physical quantities

To define the scalar physical quantity, it is enough to identify its magnitude only by giving its numeric value and measurement unit.

Examples of scalar's physical quantities are mass (measured by kilogram), length (measured by meter) and time (measured by second).



▲ Figure (15): Length and mass are examples of scalars

This means that the scalar quantity is the quantity that has magnitude only and it has no direction.

Mention some other examples of scalars:

Why are these scalars?

Information

Enriching information

- All scalars are subject to algebraic mathematical operations related to numbers and specially they are added and subtracted if they have the same measurement units.

What are vector physical quantities?

To define vectors, it is not enough to identify their magnitudes only by giving their numeric value and measurement unit but also a direction as well.

Quantities needed to identify their magnitudes as well as directions are called vectors.

Examples of these vectors are: force, acceleration, velocity and displacement.

Mention some other examples of vectors:

.....

Why are these vectors?

.....

Information


Enriching information

- All vectors are subject to mathematical operations called vectors algebra. Vectors have a great importance in different fields of physics and applied sciences like engineering. Understanding various physical phenomena such as gravity, movement of liquids and geometrical establishments depends basically on the main properties of vectors.

Distance and displacement

When a position of an object changes within a period of time, this means that the object has moved. This change in the position that accompanying the object does not depend on the path of the moving object but it depends on the shortest path between the start position and the end position where the object stops.

If an object moves from position (A) to position (B) as shown in figure (16), the change in its position is represented by the straight line that starts at point (A) and ends at (B) in the direction from (A) to (B).



▲ Figure (16): Difference between distance and displacement.



▲ Figure (17): The distance difference between Cairo, Benha and Tanta.

Exercise:

What is the difference between distance and displacement?

If a person wants to make a trip by car to Tanta starting from Cairo, the distance between Cairo and Tanta depends on the length of the path that the car takes as in figure (17).

Study the previous map and then answer the following questions:

- 1 If the trip's path is: Cairo – Benha, Tanta how long is the covered distance?
..... Kilometers.
- 2 If the trip's path is: Cairo – Zagazik – Tanta, how long is the covered distance?
..... Kilometers.
- 3 We notice that there is a difference in the value of distance although the two cities Cairo and Tanta are constant.
- 4 If we assume that the trip between Cairo and Tanta is made directly, the direct distance between them is 93 kilometers in a direct line.

In this example:

Cairo represents the start of the trip while Tanta represents the end. Direct movement from Cairo to Tanta represents the change in the position of the moving object. The path (Cairo – Zagazik – Tanta) represents the **distance** of a possible movement. Also, the path (Cairo – Benha – Tanta) represents another distance of a possible movement.

As for the straight (direct) distance whose start is Cairo and its end is Tanta represents the **displacement** of the car when reaches Tanta from Cairo. Displacement is characterized by both the magnitude and direction. The displacement of Tanta from Cairo = 93 kilometers in the western north direction.

Question

for thinking

- When is the distance identical to the amount of displacement?

What is meant by displacement?

Displacement is the length of the shortest straight line between two positions.

What is meant by a direction?

It is from the primary position of movement towards its final position.

Displacement is the covered distance at a certain direction and it is a **vector**, but distance is the actual length of the path that a moving object takes from the starting point of movement to the end point.

Information**Enriching information**

- Two equal displacements have the same magnitude and the same direction

Velocity

There is a difference between the speed and the velocity. The velocity it is the speed in a given direction. To determine the velocity we must know the value of the speed and its direction. The predator animal (cheetah) is one of the fastest animals, where its speed reaches 27 m/second. If we want to represent its velocity, we should define the direction of its movement. We say for example that cheetah's velocity = 27meters/second in the west direction.



▲ Figure (18): The cheetah is the fastest animal.

How can we calculate the Velocity?


Based on previous observations, the velocity is a vector quantity. To determine it accurately, it is necessary to identify its magnitude and direction. Calculating the average velocity can be done through the following relationship:

$$\text{Velocity} = \frac{\text{Displacement}}{\text{Total time}}$$

This means that the velocity is the displacement in one second. It is a vector that has the same speed units (meter / second or kilometer / hour).

Solved Example:

A person covered 30 meters northward within 30 seconds, then 60 meters eastward within 20 seconds, and then 30 meters southward within 10 seconds as shown in the figure.



Assume that the path the person took is $a \rightarrow b \rightarrow c \rightarrow d$


- 1 What is the start point of movement? (a)
- 2 What is the end point of movement? (d)
- 3 What is the value of total distance that the person covered? $30+60+30=120\text{m}$
- 4 What is the value of total time that the person took to cover this distance? $30+60+10=60\text{ sec}$
- 5 What does the direction line between point (a) and (d) in the direction from (a) to (d) represent? straight

\therefore Displacement = 60 meter in the east direction.

Calculate the velocity:

The average velocity = $\frac{60}{60} = 1$ meters/second in the direction of east

Exercise: scalars and vectors
Complete the flow of concepts:



Lesson 3 exercises

1 Define each of the following:

- a** A vector quantity. **b** Scalar quantity. **c** Displacement.

2 If you move a distance of 5 meters northward and your colleague moves a distance of 5 meters southward, compare between:

- a** The distance that you covered and the distance that your colleague covered.
b The displacement that you covered and the displacement that your colleague covered.

3 Choose the right answer:

- a** is the physical quantity that both its magnitude and direction are necessary for identifying it.
 1_ the quantity of matter 2_ Scalar quantity 3_ Vector quantity
b Measurement units of velocity:
 1_ meter/second 2_ meter 3_ meter/second²

4 Complete the following statements:

- a** is the covered distance in a constant direction and is a vector quantity.
b is the value of displacement at a unit time and is a vector quantity.
c is the quantity that is characterized by the magnitude only.
d is the quantity that its magnitude and direction are necessary for identifying it .


5 A racer covered 50 meters northward within 30 seconds then 100 meters eastward within 60 seconds then 50 meters southward within 10 seconds, and then returns back to the start point within 40 seconds :

- a** How long is the total distance the racer moved?
b What is the average speed of the racer?
c What is the displacement? What is the velocity?



Science, Technology and Society

Enriching activity



How can you calculate the time that light takes from the sun to the earth? To calculate this time, we take into consideration that light travels at constant regular speed in space.

The relationship of : $V = \frac{d}{t}$ can be applied to calculate time by knowing the speed of light and the distance between the earth and the sun as follows:

If the sun is 149000,000 kilometers away from the Earth and if the speed of light is 300,000 Km/s.

To calculate the time that light takes from the sun to reach the Earth the sun we assume that reach the sun sets at five o'clock in the evening. At what time did the sunlight travel in the direction of the Earth?

To calculate this time, we use the concept of speed noticing that the light speed is constant. This means that light travels at regular speed that can be determined through the following relationship:

$$\text{Speed of light} = \frac{\text{Total distance covered}}{\text{Total time}}$$

$$\text{Time} = \frac{\text{Total distance covered}}{\text{light speed}} = \frac{149000000 \text{ kilometer}}{300000 \text{ kilometer/second}} = 497 \text{ Second approximately} =$$

8 minutes and 17 seconds.

If the time of sunset is five o'clock it is determined that light travelled from the sun at four o'clock and fifty one minutes and thirty three seconds


Technological application

On their flights, pilots take into consideration the velocity of the wind in order to calculate the amount of fuel necessary to complete the trip.

The Earth spins in a complete rotation every 24 hours. The movement of the Earth results in the movement of winds above its surface.

If we assume that a plane flew from city (1) to city (2) and at the same time a plane flew from city (2) to city (1),




The first plane flying from city (1) to city (2) takes a longer time than the second plane from city (2) to city (1). This is because the first plane flies in the opposite direction of the wind and consequently wind resistance is greater. So, it needs larger amount of fuel than the second plane although the covered distance is constant for each of the two planes.



Unit 1 Exercises

1 Choose the right answer:

- a** Speed measurement unit is :
1) Meter. second. 2) Meter/second. 3) Meter/second²
- b** Acceleration measurement units is :
1) Meter/second. 2) Meter. second. 3) Meter/second²
- c** Displacement is a vector quantity and its unit is:
1) meter.
2) meter/second.
3) meter/second².
- d** The amount of the change in the velocity in one second equals:
1) Velocity. 2) Displacement. 3) Acceleration.
- f** The object moves at constant uniform speed when:
1) It moves at zero acceleration.
2) It moves at constant acceleration.
3) It covers equal distances at unequal times.
- g** It is said that the object moves at uniform acceleration when:
1) Its final speed is equal to its primary speed.
2) Its speed increases by equal amounts at equal times.
3) Covers equal distances at equal times.
- h** Acceleration is :
1) A vector whose units are m/s².
2) A vector whose units are m/s.
3) A scalar whose units are m/s².
- i** The amount of change in speed at a time unit determines:
1) Velocity. 2) Displacement. 3) Acceleration
- j** Which of the following graphs (speed – time) describes the movement of an object at a constant speed:



- k** A car moving on a straight line covers a total distance (d) in a total time (t), the average speed of the car is given by:

1) $\bar{v} = \frac{d}{t}$ 2) $\bar{v} = d t$ 3) $\bar{v} = \frac{t}{d}$

- 2** If an object at rest constantly moves regularly until its speed reaches 10 m/s after two seconds of the start of movement, so:

- a** The change in the object's speed after two seconds =m/s
b The change in the object's speed in one second =m/s
c Acceleration =m/s²

- 3** Problems:

- a** A special car can move from rest and its speed reaches 25 m/sec in 10 seconds. What is the acceleration with which the car moved?
b Within 2.5 seconds the speed of a car increases from 20 m/ sec to 25 m/sec, while a bike moves from rest and its speed reaches 5 m /sec in one second.

Which of them moved at a greater acceleration?

- 4** Complete the missing parts in the table:

Speed (meter/s)	Distance (meter)	Time (second)
.....	100	5
5	10
8	96

The first term - Unit two

Light Energy


Mirrors and Lenses

Introduction

Man uses in his daily life - including the flat mirror - types of mirrors called the spherical mirrors which are like the ones used in cars. This mirror is placed in front of the driver to show the path behind the car. It is also used at barber shops where a face is enlarged.

Spherical mirrors are also used in the front lights of cars as they reflect light and at light houses found at marine ports and at airports.

Man also uses lens in designing necessary equipments like the telescope used in studying the planets and the microscope used in examining microscopic objects. Lens is also used in the making of medical glasses to treat the impairments of vision.





UNIT OBJECTIVES

By the end of this unit, students should be able to:

- ✓ Identify the special concepts of light reflection.
- ✓ Identify the properties of the image formed by the plane mirror.
- ✓ Identify the two types of the spherical mirrors and their usage.
- ✓ Identify some of the concepts of the spherical mirrors and lenses.
- ✓ Identify the properties of the image formed by the spherical mirrors.
- ✓ Compare between the convex and concave lenses.
- ✓ Conduct experiments to explain some of the cases of image formation by the mirrors and the lenses.
- ✓ Appreciate the importance of the usage of lenses to treat some of the vision defects and the importance of mirrors in manufacturing the modern telescopes.



Included issues

- ◆ Safety and welfare
- ◆ Treating the vision defects



Lesson 1
Mirrors



Lesson 2
The lenses

Mirrors



Lesson objectives

By the end of this lesson, you should be able to:


- ✓ Identify the reflection of light.
- ✓ Identify the two laws of light reflection.
- ✓ Identify the properties of the image formed by the plane mirror.
- ✓ Identify the two types of spherical mirrors.
- ✓ Identify some of the concepts of spherical mirrors.
- ✓ Identify how the images are formed in the spherical mirrors and their properties.
- ✓ Conduct experiments to show some cases of image formation on the spherical mirrors.



Lesson terms

- ◆ Concave and convex mirrors
- ◆ The real and virtual image
- ◆ Principle and secondary axis

The human being noticed that when he looked at the still water surface, he could see an image of his face in the water, and he also noticed the images of the high buildings that are constructed near the still water. Moreover, if you look at the shining smooth surface (like the mirror) you can see an image of your face. All this happens as a result of the reflection of light (its bouncing off) on the water surface or the mirror surface.



▲ Figure (1): The image of the buildings on water surface as a result of the light reflection.



The properties of the image formed by the plane mirror


The material:

A plane mirror – a card with some letters written on it.

The steps:

Collaborate with your colleagues to accomplish this activity by preparing a white carton paper and writing some alphabet letters on it.

- 1 Place the card in front of the mirror that is fixed vertically.
- 2 Record your observation about the properties of the image formed in the plane mirror.



▲ Figure (2): The image reflects in the plane mirror.

Deduce the properties of the images formed by the plane mirror through answering the following questions:

- How does the image of the letters appear in the mirror? (Inverted / upright).
- How does the size of the letters appear in the mirror? (enlarged / smaller/ equal).
- Does the image of the letters in the mirror appear inverted? (Yes / No).
- Can you receive the letters formed in the mirrors on a screen? (Yes / No).
- Did you observe that the distance of every letter to the mirror is equal to the distance of its image to the mirror? (Yes / No).

From the previous activity, you will find that the properties of the image of the objects formed by the plane mirror are as follows:

- 1 The image is upright.
- 2 The image is equal to the object.
- 3 The image is laterally inverted. (reversed)
- 4 The image is a virtual image (cannot be received on a screen)
- 5 The distance of the object to the mirror = the distance of its image to the mirror. (The straight line connecting the object and its image is perpendicular on the surface of the mirror).



▲ Figure (3): The word «ambulance» is laterally inverted, why?

Does the light reflection abide to laws?


To answer this question, you will conduct the following activity:



The two laws of light reflection

Materials:

A plane mirror – white paper sheet – pins – protractor – ruler



Steps:

▲ Figure (4): Achieving the two laws of reflection in mirrors

- 1 Draw a straight line (xy) on the white piece of paper, then place the plane mirror in a perpendicular position where the edge of the reflective surface aligns on the line (XY).
- 2 Draw a line (OD) perpendicular on the line (xy). This line is called the normal.
- 3 Draw a straight line (AO), which represents the incident light ray on the mirror. makes an angle with the normal (angle of incidence) and place two pins (p_1) and (p_2) horizontal on the line.
- 4 Look at the other side of the mirror and see the images of the pins (p_1) and (p_2), and place two pins (p_3) and (p_4) to be as straight as the images of (p_1) and (p_2).
- 5 Lift the two pins (p_3) and (p_4) and connect between their positions with a straight line extending it until it meets the reflecting surface at point (O). This line (BO) represents the reflecting ray.
- 6 Measure the angle that (BO) makes with the normal, and this is the angle of reflection
- 7 Repeat these steps by changing the value of incidence angle by using the protractor and assign the reflection angle each time.

Does the angle of incidence = the angle of reflection? (Yes / No)

The Results

Laws of the reflection of light:

- 1 First law: angle of incidence = angle of reflection.
- 2 Second law: The incident light ray, the reflected light ray and the normal line all lie in the same plane perpendicular to the reflecting surface.


Concepts concerning reflection of light:

- Light reflection phenomenon : is the bouncing the incident light ray in the same medium when it strikes a reflecting surface.
- The incident ray: it is the light ray that falls on the reflecting surface.
- The reflected ray: it is the light ray that bounces from the reflecting surface.
- Angle of incidence: it is the angle between the incident ray and the normal line.
- Angle of reflection: it is the angle between the reflected light ray and the normal line.

The spherical mirrors

What is the spherical mirror?

It is a mirror that its reflecting surface is a part of a hollow sphere, and there are two types of the spherical mirrors.



▲ Figure (5): Types of the spherical mirrors

Observe figure (5) and identify the concave mirror and the convex mirror.

Study the previous figure and identify the concepts that benefits you when are studying how the image is formed by the spherical mirrors:

- Centre of mirror curvature (C): Is the centre of the sphere that the mirror is considered a part of it.
- Define the position of the centre of curvature of the concave mirror? (in front of the reflecting surface / behind the reflecting surface).
- Define the position of the centre of curvature of the convex mirror? (in front of the reflecting surface / behind the reflecting surface).
- The radius of curvature of the mirror (r): Is the radius of the sphere that the mirror is a part of it.

- The pole of the mirror (p): Is the point that is in the middle of the reflecting surface of the mirror.
- The principal axis (cp): Is the straight line that passes by the pole of the mirror and its centre of curvature.
- The secondary axis : Any straight line that passes by the centre of curvature of the mirror and any point on its surface except the pole of the mirror.

The focus of the concave mirror:


When sun rays or light rays from a distant object falls on the surface of a concave mirror, they are reflected from it and collected at one point called "the focus of the mirror".



Determine the focal length of the concave mirror.

The materials:

A concave mirror - screen.



▲ Figure (6): If the object is very far, the light rays that fall on the concave mirror is almost parallel.

The steps:

- 1 Place a concave mirror facing the sun ray (or a faraway object)
- 2 Move the screen in front of the reflecting surface of the mirror to obtain the smallest and clearest image (lit point), it is "the focus of the mirror" (fig.6).
- 3 Measure the distance between the lit point and the pole of the mirror, this distance is the focal length (f) of the concave mirror.

Conclusion:

- Did the rays after being reflected from the concave mirror collect in one point that can be received on a screen (Yes / No).
- The point of the collection of the parallel rays after being reflected from the concave mirror is called
- The distance between the focus of the concave mirror and its pole is called.....

We will see that: focal length = $1/2 \times$ radius of curvature (f) = $1/2 R$.

The image formed by the concave mirror:

To study the cases of the formation of the images by the spherical mirrors, we will use three rules to determine the direction of the reflecting light rays incident on the concave mirror:

- 1 The incident light ray parallel to the principal axis of the mirror, reflects passing through the focus (F)
- 2 The incident light ray passing through the focus (F) will reflect parallel to the principal axis.
- 3 The incident light ray passing through the centre of curvature of the mirror reflects back on itself.

When you place an object in front of a concave mirror you can determine the position of the image of the object and its properties by using only two rays from the previous three rays.


- The real image: Is the image that can be formed on a screen.
- The virtual image: Is the image that cannot be formed on a screen.

Exercise:

The cases where the images are formed by concave mirror (converge).

To determine the position and properties of the images formed by the concave mirror, follow the following steps:





- 1 Use the compass to draw a spherical surface and its centre is (c), that represents the concave mirror.
- 2 Draw the principal axis and determine on it the position of the focus then draw a vertical arrow on the principal axis to represent an object. Determine the centre of curvature where the radius of the sphere equals twice the focal length.
- 3 Draw a ray from the highest point in the object where it falls parallel to the principal axis and thus reflects passing through the focus.
- 4 Draw another ray passing through the centre of the mirror curvature then reflects on itself (why does the ray reflect on itself)?.
- 5 Determine the position where the two reflecting rays meet, which is the image of the highest point of the object.
- 6 Determine the position and properties of the images formed in the four cases shown in the following table, and compare the results you obtain with that indicated in the table.



▲ Figure (7): The reflection of the incident rays on the concave mirror.

2-1

Mirrors

Position of the object	Position of the images	Properties of the images	The cases of image formation
At a distance greater than the radius of curvature.	Between the focus and the centre of curvature	Real – inverted -diminished	
At the centre of curvature of the mirror.	At the centre of curvature of the mirror.	Real – inverted. - equals the object	
Between the focus and the center of curvature	At a distance greater than the radius of curvature.	Real - inverted enlarged	
Between (f) and (p).	Behind the mirror	Virtual-upright magnified	

The formation of the images on a convex mirror:


The image of the object placed in front of a convex mirror is always smaller than the object, upright and virtual (not received on a screen) even if the distance of the object is changed from the convex mirror.



▲ Figure (8): The image that is formed by the convex mirror is virtual, upright and smaller than the object.

**Determine half the radius of the concave mirror.****The materials:**

A concave mirror – a holder for the mirror – light box with a hole.



▲ Figure (9): To determine the radius of curvature of the concave mirror

The steps:

- 1** Place the mirror on a holder in front of the light source (lit hole).
- 2** Move the mirror nearer and farther until an image of the hole is formed next to it and is equal to it.
- 3** Measure the distance between the mirror and the hole, it is equal to the radius of curvature of the mirror.

Deduce:

The focal length of the mirror (f) = $R/2$


Lesson 1 exercises

2 Complete the following:

- a The phenomenon of the light bouncing off in the same medium when it meets the reflecting surface is called
- b The point that is in the middle of the reflecting surface of the concave mirror is called
- c The radius of the concave mirror equals..... of its focal length.
- d is the image that can be received on a screen.
- e The incident light ray parallel to the principal axis of the concave mirror, it will reflect and pass through

2 Choose the correct answer:

- a If the light ray falls passing through the focus of the concave mirror it will:
 - 1. Reflect parallel to the principal axis.
 - 2. Reflect on itself.
 - 3. Reflect through the centre of curvature.
- b A light ray that falls on a plane mirror as in the figure it reflected where the reflection angle equals:
 - 1- 30° 2- 60° 3- 90°
- c A concave mirror with a focal length of 20 cm and the object is placed at a distance of 50 cm from the mirror, the image is formed at a distance:
 - 1. More than 40 cm
 - 2. More than 20 cm and less than 40 cm
 - 3. Equals 20 cm.
- d A spherical mirror where its radius is 60 cm and, its focal length is equal to:
 - 1- 60 cm 2- 120 cm 3- 30 cm
- e When the object is at the centre of curvature a concave mirror, the image is:
 - 1. Real, inverted, and diminished.
 - 2. Real, inverted, and equals to the object.
 - 3. Virtual, inverted, and enlarged.



Lenses



Lesson objectives

By the end of this lesson, students should be able to:

- ✓ Identify the types of lenses.
- ✓ Identify the concepts related to the lenses.
- ✓ Identify how the images are formed with the lenses.
- ✓ Do experiments showing some of cases of the formation of the image with the lenses.
- ✓ Identify how to use the lenses in treating some of the vision defects.



Lesson terms

- ♦ The convex lens
- ♦ The concave lens
- ♦ The focus of the lens
- ♦ Short-sighted
- ♦ Long-sighted

You have noticed that many people need the medical eye glasses either for reading or walking. You could see the person who fixes the watches use a magnifier to see the minute parts of the watch. In the war, the leaders use a magnifying glass to follow the battles.

In all these previous cases the human being uses an important optical piece called “the lens”.



▲ Figure (10): The lenses are used in the manufacture of many things.

What is a lens?

The lens is a transparent medium that refracts the light and is defined with two spherical surfaces and is usually made of glass or plastic.

The types of lenses:

There are a lot of types of lenses we, some of them are:

1 Convex lens (converging):

- It is thick at the centre and less thick at the tips. The function of the convex lens is to collect the light rays falling on it.



▲ Figure (11): The convex lens


2 Concave lens (diverging)

- It is thin at its centre and more thick at the tips. The concave lens diverges the light rays falling on it.




▲ Figure(12): the concave lens

Special concepts of the lenses



▲ Figure (13): A concave lens (diverging)



▲ Figure (14): A convex lens (converging)

Study the previous figure and identify the following concepts:

- The centre of curvature of the lens face (c): Is the centre of the sphere where this face is a part of it.


Why does the lens have two centres of curvature?

- The optical centre of the lens (p): Is a point inside the lens lies on the principal axis in the mid distance between its faces.
- The radius of curvature of the face of the lens (p): Is half the radius of the sphere where the face is a part of it.
- The principal axis: Is the line between the centres of curvature of the lens passing by the optical centre of the lens.

First: The convex lens

The focus of the convex lens (converging):

If the sun rays or any light rays from any distant source fall on the lens we notice that the rays passing through the lens are collected at one point called "the focus of the lens".



▲ Figure (15): The convex lens forms a real, inverted, smaller image of the distance object.



Determination of the focal length of the of light convex lens

Materials:


A convex lens – screen – lens holder – distant source of light (can use the sun ray)

The steps:

- 1** Place the lens on a holder where the distant light source is facing one of its faces.
- 2** place a vertical screen on the other side of the lens and move it closer and farther from the lens until you get the lit point which is the «focus of the lens».
- 3** Measure the distance between this point and the optical centre of the lens which is the focal length (f) of the convex lens.



▲ Figure (16): The convex lens forms a real image of the sun on a piece of paper



▲ Figure (17): Parallel rays are collected at the focus on the far side of a corve lens

What do you deduce?

- Light rays passing through the convex lens converge to a point called "the focus of the lens".
- The lens in this case is known as converging because the rays passing through it converges at a point.

Question

for thinking

- Which of the two lenses has a greater focal length?



The image formed by the convex lens:

To study the cases of the formation of the image by using the convex lens we will use three rules to determine the direction of the light ray after passing through the lens.




- 1** The incident light ray passing through the optical centre of the lens passes through the lens without refraction.
- 2** The incident light ray parallel to the principal axis, exits from the lens passing through the focus
- 3** The incident light ray passing through the focus, exits from the lens parallel to the principal axis.

When an object is placed in front of the convex lens the position of the images formed and their properties can be determined by using only two rays from the previous three rays.

The cases of the formation of the images by the convex lens (converging):






To determine the position and characteristics of the formed image by the convex lens, follow the following steps:

- 1** Use the compass to draw the convex lens
- 2** Draw the principal axis of the lens (it is a straight line passing by the focus and the optical centre of the lens).
- 3** Determine on it the position of the focus (f) and twice the focal length (c) on the principal axis from both sides of the lens.



▲ Figure (18): Three rules for light rays passing through the convex lenses.


- 4 Draw a ray coming from the highest point of the object so it falls parallel to the principal axis thus it refracts and exits from the lens passing through the focus.
- 5 Draw a ray from the same point passing by the optical centre of the lens, thus exits with no refraction.
- 6 The position when the two penetrating rays intersect determines the image of the lit point.
- 7 Determine the position and properties of the images formed in the five cases shown in the following table and compare the results you obtain to those present in the table.

Position of the body	Position of the image	properties of the image	Cases of image formation
Greater than twice of the focal length	Between the focus and twice the focal length	Real, inverted, and diminished	
At twice the focal length	At twice of the focal length	Real, inverted and equal to the object	
Between the focus and twice of the focal length	At a distance greater than twice of the focal length	Real, inverted and magnified	
At the focus	At the infinity	The rays exit parallel	
At a distance smaller than the focal length	At the infinity	Virtual, upright and enlarged	

Second: The concave lens

The focus of the concave lens:


If parallel rays fall on the concave lens, the rays pass through the concave lens and get away from each other (diverging) as if they come from a point in front of the lens called "The principle focus of the concave lens" and it is a virtual point (cannot be received on a screen). The lens is also known in this case as the diverging lens because it diverges the rays after they pass through it.



▲ Figure (19): The virtual focus of the concave lens

The image formed by the concave lens:

The image formed by the concave lens is always virtual, smaller and erect. In figure (20) we used two rays to identify how the image of the object is formed.



▲ Figure (20): The image formed by the concave lens is always virtual, erect and diminished

The use of lenses to treat the vision defects

The most important of the vision defects: short-sightedness – long-sightedness.

These defects occur because the eye cornea is not always convex, or the eye is not always spherical. The person with normal vision sees the far object clearly (the far object according the normal eye is present at 6 m). This clear vision remains if the object comes closer at a distance not less than 25 cm.

1 Short-sighted:


- A person is said to be short-sighted when the eyes only sees the near objects clearly, but the far objects seem distorted and that is because the images of these objects do not fall on the retina of the eye but in front of it.

What causes short-sightedness?


- 1 Due to elongation in the ball which causes the retina to be far from the eye lens.
- 2 The surface of the eye lens is more convex which results in a smaller focal length of the eye lens, then the parallel rays coming from the far object is collected at a point in front of the retina and disperses after that forming an unclear image on the retina (Figure 21).

Correcting short-sightedness

By using a concave lens which diverges the rays to form the image of the objects on the retina. A short-sighted person needs a medical eye glasses with concave lenses.



▲ Figure (21) Formation of image in front of retina




▲ Figure (22) Formation of image on the retina by using a concave lens

2 Long-sighted:


A person is said to be long-sighted when he only sees the far objects clearly but the close objects are not seen clearly and that is because the image of the close objects do not fall on the eye retina but behind it.

What causes long-sightedness?

- 1 As a result in the shortness of the radius of the ball thus the retina is close to the eye lens.
- 2 The eye lens surface is less convex which causes the increase in the focal length so the rays exiting from the near object are collected at a point behind the eye retina.



▲ Figure (23): Formation of image behind the retina



▲ Figure (24): Formation of image on the retina by using a convex lens

Correcting long-sightedness

Long-sightedness is treated by using convex lens which collects the rays so the images of the objects are formed on the retina; therefore, the long-sighted person needs a medical eye glasses with convex lenses.

Contact lenses:

The contact lenses are used instead of the glasses. It is very thin lenses made of plastic, and can stick to the eye cornea by the eye fluid.



▲ Figure (25): contact lenses

Lesson 2 exercises**1 Complete the following:**

- a The focal length of the convex lens equals the distance between and
- b The concave lens the rays fall on it.
- c A convex lens the distance between its focus and optical centre is 10 cm, so the double its focal length is.....cm.
- d The short-sighted person needs a medical eye glasses with lenses
- e The vision defect which is due to a shortness in the radius of the ball is called.....

2 Choose the correct answer:

- a If a light ray falls passing the optical centre of the convex lens, it leaves the lens :
 - 1. Passing through the focus.
 - 2. Parallel to the principal axis.
 - 3. Without refraction.
- b A convex lens with a focal length of 20 cm, and an object was placed 40 cm from the lens the image of the object is formed at:
 - 1- 40 cm 2- 20 cm 3- 10 cm
- c An object placed at a distance less than the focal length of the convex lens, the properties of the image formed are :
 - 1. Real, inverted, and enlarged.
 - 2. Real, inverted and smaller
 - 3. Virtual, upright, and enlarged.

3 Show by drawing only the formation of the image equal to the object by means of a convex lens.**4 Mention the position and properties of the image formed of an object by means of a convex lens in each of the following cases:**

- a The object is at a distance larger than the focal length and smaller than twice the focal length.
- b The object is at a distance equal to twice the focal length.



Science, Technology, and Society

Enriching activity:


Land areas measurement:

Land surveyors and topographical scientists use a special device to determine heights and distances by sending a beam of laser rays, the receiving it again by the mirrors and lenses provided in their devices. so, it is possible to make very accurate measurements to calculate the time that a laser beam bounced from a distant point and returns to its source.



Make a model


Draw a schematic diagrams showing how the properties of the image formed by a convex lens changed by changing the focal length.



History

According to the old Greek legend that Archimedes knew a lot about mirrors and the use of sunlight as a weapon against the Roman fleet that invaded sicily in 212 B.C.

A huge concave mirror was placed to collect the sun rays and directed them towards the sails of ships so as to generate extreme heat that led to the burning of these sails and turning them to blazing fire balls.



Science integration (Medicine)

Cataract

The eye gets suffer from some diseases. due to some reasons.

Cataract is one of the most dangerous diseases that infect the eye as a result of old age, illness, side effects of drugs in addition to genetic readiness. When the eye gets injured by cataract the eye lens becomes opaque. Treatment is done through surgery to exchange the eye lens with a plastic lens transplanted permanently in the eye. In this way, the person can see again and clearly .



Unit 2 Exercises

1 Choose the correct answer from the given choices:

- a** If a light ray falls parallel to the principal axis of a concave mirror it reflects:
 - (1) Passing by the spherical centre of curvature of the mirror.
 - (2) Passing by the focus.
 - (3) On itself.
- b** An object is placed at the focus of a convex lens, the position of the formed image will be:
 - (1) Between the focus and centre of curvature.
 - (2) At the centre of curvature.
 - (3) The image is not formed.
- c** A concave mirror has a focal vertex of 10 cm, so the radius of curvature of its surface equals:
1 - 5 cm 2 - 10 cm 3 - 20 cm
- d** A convex lens has a focal length of 50 cm. An object is placed at a distance of 80 cm from the lens. The image of the object is formed at a distance of
 - (1) Greater than 100 cm
 - (2) Equals 100 cm
 - (3) Equals 50 cm
- e** The image formed by using a concave lens is:
 - (1) Real, enlarged, and inverted.
 - (2) Virtual, smaller and inverted.
 - (3) Virtual, smaller and upright.


2 Complete the following:

- a** The point that is in the middle of the reflective surface of the concave mirror is called
- b** The straight line that passes by the pole of the mirror and its centre of curvature is
- c** The distance between the focus of the concave mirror and its pole is called
- d** A convex mirror has a focal length of 20 cm, then the radius of curvature of its spherical surface equals
- e** A long-sighted person needs a medical eye glasses with a lens

3 Explain the following:

- a** The focal length of the thick convex lens is less than that of the thin convex lens.
- b** The concave lens is used to treat a short-sighted person.
- c** The long-sightedness is treated by using a convex lens.
- d** The object that is placed at the focus of a convex lens does not form an image.
- e** The collective lens has two foci while the collective mirror has one focus.

4



A convex lens has its focal length equals 4 cm. An object is placed at a distance of 6 cm from the lens. Determine the position of the formed image and its properties by drawing two light rays only.

The first term - Unit Three

The Universe and the Solar System

Introduction

The vast universe is filled with millions of stars that are not enough to light this extensive universe. This is because there are billion kilometers of cold dark space among these stars.

Everything changes in the universe. On Earth, generations of humans and living organisms change. The same goes for stars as they always change so that the universe is never constant.

All galaxies get away from each other very fast. The universe is continuously in a state of expansion.



UNIT OBJECTIVES

By the end of this unit, you should be able to:

- ✓ Identify some theories of cosmogony.
- ✓ Identify some theories of the evolution of the solar system.
- ✓ Identify the rotation of the solar system around the centre of the galaxy.
- ✓ Explain the difference in the length of day and year from a planet to another.



Included issues

- ♦ The greatness of Allah
- ♦ Unity of the universe



Lesson 1
The universe



Lesson 2
The solar system

The Universe



Lesson objectives

By the end of this lesson, you should be able to:

- ✓ Identify the components of the universe.
- ✓ Identify the galaxies.
- ✓ Determine the location of the solar system in the Milky Way.
- ✓ Identify the latest theories of cosmogony.
- ✓ Realize the greatness of Allah.



Lesson terms

- ♦ The universe
- ♦ The galaxy
- ♦ The stars

What is the universe?

The universe is the space which contains all the galaxies, stars, planets, moons, living organisms and everything. The universe is vast beyond comprehension. The sun and the earth are a tiny part in the universe.

In the universe, groups of stars are gathered to form galaxies. The universe contains many galaxies and each galaxy has a distinctive shape according to the harmony and order of the groups of stars in it. The sun is one of the stars of our galaxy (Milky Way).

The Milky Way Galaxy

In the centre of the galaxy a lot of old stars gather surrounded by small stars located in the spiral arms of the galaxy. Our sun is a star of millions of stars in this galaxy.



▲ Figure (1) The Milky Way Galaxy

The universe :

- It is a wide and extended space that contains galaxies. The number of galaxies in the universe is about 100,000 million galaxies.

**Galaxies:**

- Galaxies gather in clusters including the Milky Way which contains the sun.

**The Milky Way:**

- It contains the sun and the solar system.

**The solar system:**

- It is the sun and eight planets revolving around it

**The earth:**

- The planet of life

**Humans****Information****Enriching information:**

- The Milky Way is given that name because it appears in the sky at night as a splashing milk or spreading straw.

The solar system


Planets revolve around the sun and the surrounding planets revolve around the centre of the galaxy (Milky Way). The sun takes about 220 million years to complete one rotation around the centre of the galaxy. The solar system is located in one of the spiral arms of the Milky Way on the edge of the galaxy.



▲ Figure (2) The position of the sun in the Milky Way

How did the universe originated?


Many scientists believe that the universe emerged from a massive explosion called the Big Bang 15000 million years ago which resulted in all forms of matter, energy, space and time. There was no one to relate what happened. But the outstanding discoveries in physics and astronomy enabled scientists to trace the history of the universe from the first second fraction of its evolution. They believe that before explosion the universe matter was a gaseous ball of high pressure and high temperature in a small volume. It is in a constant expansion. The Big Bang theory had been developed since 1933.



▲ Figure (3) An imaginary shape of the big bang

The Big Bang

Since about 15000 million years, the universe was very small and very hot. Through the Big Bang, the process of expansion and changing started and it continues to this day. Within minutes of the explosion, the atomic particles merged together producing helium and hydrogen which over the years produced galaxies, stars and the universe as we know it today.



Cosmogony in ancient times:

The first human perception of cosmogony was in the Stone Age hundreds of thousands of years ago where myth dominated the human imagination. The human mind was developed of the ancient Egyptians and Babylonians. It became clear to them the relationship between the eternal universe and the multiple gods controlling it. Philosophers of the Greeks and Romans attempted to develop theories of cosmic phenomena while astrology prevailed at both the Indian and Chinese civilization.

The general feature of perceptions about the universe in ancient civilizations is their relationship with the world of multiple gods and their deep belief that there is a fundamental difference between the Earth and heaven. This did not allow them to develop theories about the universe and cosmogony.

Information

Enriching information:

- **A light-year:**
The distances in the universe are so vast so that they are measured by the light-years. The light-year is the distance that light travels in a year. Since the speed of light equals 300000 km per second, this distance is 946000 million km.



Expansion of the universe and distances of galaxies

Tools:

Some water - some flour - some raisin - glass container

Steps: cooperate with a group of your colleagues to perform this activity

- 1 Bring some flour and mix it with some water and some of the bread yeast.
- 2 Mix the ingredients well to make bread dough.
- 3 Insert some raisins in the dough.
- 4 Leave the dough to ferment in a warm environment.

What do you observe?

What does the continuous swelling of the dough look like?

What does the distance of the raisins represent?

What do you conclude of the distances between the raisins?



▲ Figure (5) distance of galaxies in the universe looks like distance of the raisins in the dough during its fermentation

Information


Enriching information:

- In 1964, scientists coincidentally discovered radio waves coming from space. They concluded that these waves are a type of the echo coming from the Big Bang. T.V sets can receive such signals on the Earth. For more information, log on the internet.



History of the universe

Scientists have different theories about this subject. Some of them believe in the opened universe theory. They see that there is no definitive end to the universe. While those who believe in the closed universe theory see that the universe will stop expanding and will begin to contract until it becomes very compact or very hot, preparing for a new Big bang.



Write a paragraph in your own words about the history of the universe. Share in discussion with your classmates and your teacher.

.....

.....

.....

Brainstorming

About the Big Bang theory

Although the Big Bang theory is one of the most widely accepted theory among astronomers, there are many questions that this theory did not succeed to answer up till now such as:

- Do you agree or not with this theory? Share your opinion.
- Do you believe that Big Bang theory is improper with religions? Explain your opinion?

The explosion usually leads to chaos and destruction to all that surrounds it. What is your explanation for that magnificent system that caused by the Big Bang?

A Person who has not seen the eruption of a volcano but saw the lava moving away from the crater. Can this be an evidence of the occurrence of the volcanic eruption?

Telescopes were developed greatly and Man invented more accurate machines. Can this prove either the validity or invalidity of the Big Bang theory?

Discuss this with your colleagues and your teacher.

.....

.....



Science

Science Technology

- In 1992 - and in a mission to inquire about the first radiation of the universe - one of the spacecrafts detected a difference in these radiations; an act which may prove the Big Bang theory.

Lesson 1 exercises


1 Write the Scientific term for each of the following:

- a It contains all the galaxies, stars,- planets and living organisms.
- b It contains all the stars we see at night in the sky.
- c It is located in one of the spiral arms of the Milky Way.
- d The expansion of the universe and the merging of atomic particles creating helium and hydrogen.

2 Put a(✓) or (✗) in front of the following sentences and correct the false ones:

- a The solar system is located in the Milky Way. ()
- b The universe emerged from the particles of oxygen and nitrogen. ()
- c The solar system contains many stars. ()
- d Galaxies emerged from the Big Bang. ()

3 Write a paragraph about each of the following terms:



The Solar System



Lesson objectives

By the end of this lesson, you should be able to:

- ✓ Identify the solar system.
- ✓ Explain the evolution of the solar system.
- ✓ Explain the difference in the length of day and year from a planet to another.



Lesson terms

- ♦ The sun
- ♦ The solar gravity
- ♦ The gaseous nebula
- ♦ The crossing star

Millions of years ago, planets were originated in orbits around the sun to form what is known as the solar system. That astronomic system, which extends over 12000 million km in space, includes asteroids, comets and moons. The sun is the dominant star in this system as it represents more than 99% of its total mass. In the past, this system was considered as the centre of the universe, but now we know that our solar system is just a tiny spot compared with the rest of the universe.


4600 million years ago, planets and other objects were originated in the system from the matter that remained from the evolution of the sun. The sun was surrounded by a sphere of gas (a mixture of hydrogen and helium) and dust (iron, rocks and ice) called the solar nebula. Later on, it turned into a flat rotating disk, and then the dust compressed forming four masses: Mercury, Venus, the Earth and Mars. In an external further zone, dust and ice combined with gases forming Jupiter, Saturn, Uranus and Neptune.



▲ Figure (6) The nebula

Gravity in the solar system

What makes the planets of the solar system remain in their orbits? It is the gravity. It is the force of attraction between the masses of two objects, directly proportional with the amount of their masses and inversely with the square of the distance between them as in Newton's law of universal gravitation. Through gravity, the matter of the celestial body remains firm. If it was strong enough, it will attract gases towards the planet or the moon forming an atmosphere around it. In the seventeenth century, the English scientist Isaac Newton observed the movement of planets and the moon. He developed the law of universal gravitation which is one of the basic laws in the universe.



▲ Figure (7): The sun's gravity

Theories about the evolution of the solar system

There are many scientific and philosophical theories about the evolution of the solar system. They are about twenty theories and they (as we shall see) are still unproved and subject to change. We will review the most important of these theories to recognize the evolution of scientific ideas about the evolution of the solar system.

① Nebular assumption (Laplace 1796)

The French scientist Pierre Simon Laplace published a research entitled "world order" and that was in 1796. This research included a vision of Laplace about the evolution of the solar system. This perception (which won great reputation for a century) has been affected by two observations, which are:

- There is something that looks like clouds or nebula in the space.
- The space contains many cloudy rings surrounding some planets such as the rings of Saturn.



▲ Figure (8): The French scientist Pierre Simon Laplace

Information

Enriching information:

- Gravity keeps planets in their orbits around the sun and moons in their orbits around planets. The effect of gravity decreases with increasing distance, when the planet moves away from the sun the gravity decreases and its movement becomes slower.

This theory suggested that the solar system developed as the following:

- The solar system was a glowing gaseous sphere revolving around itself. This sphere is called nebula. Over the time, the nebula gradually lost its heat so its size contracted and its revolving speed around itself increased.
- Under the effect of centrifugal force, the nebula lost its sphere form and became in a form of a flat rotating disk. Parts got separated from it by the effect of the centrifugal force to form gaseous rings that also rotate in the same direction in which the nebula rotates.
- These gaseous rings were formed after the planets of the solar system got cooled and frozen. The flaming mass that remained in the centre formed the sun.




► The first phase of the nebula (a gaseous sphere)

▼ The second phase (gaseous rings)



▼ The third phase (the formation of the solar system)




▲ Figure (9): Laplace's conception about the evolution of the solar system

② The crossing star theory (Chamberlain and Molten 1905)

The crossing star theory is based on some assumptions:


- The solar system was originally a big star which is the sun.
- Another huge star approached the sun.
- This star attracted the sun to it; an act which led to a great expansion in the part of the sun facing it.
- This expanded part was exploded and a gaseous line was formed of a great length from the sun to the last planet.
- The gaseous line started to condense due to the attraction forces and then it cooled forming the planets.
- The sun escaped from the gravity of that star due to the explosion.



▲ Fig (10): The crossing star theory

③ The modern theory of the world (Alfred Hale, 1944)

This theory is based on what is sometimes seen when a star glows for a short time to be one of the most shining stars in the sky. After a day or two, its glow disappears gradually to return as it was. The reason for that glowing is not precisely known. It may be due to the explosion of the star as a result of nuclear reactions that occur so suddenly and violently that the star bombs huge amounts of gaseous materials. Then, its size increases and accordingly its shining increases as well. When the bombed gases are cooled, its shining returns as it was.



▲ Figure (11): The modern theory of the world

Alfred Hale used this fact to develop his conception and assumptions about the evolution of the solar system. He assumed:

- The existence of a star rotating near the sun.
- The star was exposed to explosion due to huge nuclear reactions.
- The force of the explosion led to the bombing of the star's nucleus away from the gravity of the sun.
- A cloud of gas remained and was subject to cooling and contraction processes forming planets.
- The force of the sun's attraction controlled the orbits of planets around it.
- Planets which the force of the sun controlled the determination of their orbits were evolved.

The difference in the length of the day and year from a planet to another

The earth revolves around its axis in a period of time estimated at one earth day, and it revolves around the sun in a period of time estimated at one earth year. Compared to the rest of planets of the solar system, astronomers managed to determine the day and year for each planet in terms of the earth day and year as shown in the following table:

Planet	Rotation around the axis (earth day)	Rotation around the sun (earth year)
Mercury	59	0.24
Venus	243	0.62
Earth	1	1
Mars	1.03	1.9
Jupiter	0.41	12
Saturn	0.43	29
Uranus	0.72	84
Neptune	0.67	165



▲ Figure (12): The solar system

The difference in length of a year is due to:

- 1 Distance between the planet and the sun.
- 2 Speed of the planet rotation around the sun.

The difference of a day length is due to:

- 1 Radius of the planet.
- 2 Speed of the planet rotation around its axis.

We can conclude that:

- The longest day is on
- The shortest day is on
- The longest year is on
- The shortest year is on




Explaining the difference in the length of the year from a planet to another

What do you need?

Chalk to draw circles in the school playground.

What should you do?



- 1 Go out the school playground with your classmates.
- 2 Choose five of your classmates different in weight and size.
- 3 One of your classmates stands in the middle of the playground (a).
- 4 Draw four circles with a united centre around that student.
- 5 Each student stands on one of the circles in a way that are on one straight line.
- 6 Give a signal to students to start moving in a circle around the centre.
- 7 Assign the time that each student takes to make a complete rotation
- 8 What is the reason for the difference in the time each student takes to make a complete rotation

What do you observe?

What do you conclude?

In the light of the previous activity, explain the difference in the length of the year from a planet to another.

Lesson 2 exercises

1 Write the scientific term that corresponds each of the following statements:

- a The biggest star that can be seen clearly by people on Earth.
- b Eight planets that rotate around the sun.
- c A flat gaseous round disk that formed the solar system.
- d Force that keeps the continuity of the planets rotation in their orbits.

2 Write what you know about :

The nebula – the crossing star – the earth day – the earth year.

3 What are the reasons that lead to the following:

- a The difference in the length of the year from a planet to another.
- b The difference in the length of the day from a planet to another.

4 Put a (✓) or (✗) in front of the following statements and correct the false ones:

- a The gravity of the earth keeps the rotation of planets in their orbits around the sun. ()
- b The crossing star is the largest that can be seen form the surface of the earth. ()
- c The length of the day on Venus equals 59 earth days. ()
- d Nine planets rotate around the sun. ()
- e On Saturn, the year equals 12 earth year. ()



Science, Technology and Society

A technological application

The solar telescope

Astronomers use special equipment centered on Earth or carried into space in order to study the sun. The sunlight is gathered then separated by the spectrometer into a solar spectrum (shows the different light wave lengths emitted by the sun).

It is worth mentioning that astronomers got most of their information about the sun from the study of its spectrums.

This type of telescope works on reflecting the sun rays downward to a mirror in a tunnel under the Earth's surface. A picture of the sun is formed in a monitoring room where astronomers can study its light.



Apiane Mirror

Modern equipments

Astronomers use modern equipments on the surface of the Earth. They also send them to space to get photos and information better than what surrounds us. Telescopes rotating in orbits around the Earth can see celestial bodies more clearly. Also, they can catch rays able to penetrate the Earth's atmosphere. Spacecrafts are sent in trips to revolve around other planets or land on them sending discoveries to the Earth. It is important to mention that most of these telescopes and spacecrafts are controlled by computers from the surface of the Earth.



The Hubble telescope

The Hubble telescope was launched in April in 1990 . It rotates around the earth at a height of 500 km. From its location, it collects photos since millions of years. These photos allow astronomers an opportunity to study the evolution of the universe after the Big Bang. Astronauts on a space shuttle regularly maintain this telescope in space.



Space suit:

The first astronauts wore one space suit for the trip. Today, they wear clothes that differ due to missions they perform. There is a space suit to travel back and forth. There is also a normal type of special clothes to be worn inside the spacecraft in its rotation.



Weightlessness

The continuous force of the Earth's gravity on our bodies gives us weight. But, when you are inside a lift going downward fast, you feel that you are lighter in weight. This phenomenon occurs in the spacecraft as astronauts fall down inside it with the same speed so that they get weightless. Experiments are performed on both animals and plants in space to study the effects of weightlessness on them. Also, specific scientific experiments are done as they can not be done on surface of the Earth.



Unit 3 Exercises

1 Put a(✓) or (✗) in front of the following sentences and correct the false ones:

- a The solar system is located at the edge of the Milky Way. ()
- b Each group of stars is gathered in the solar system. ()
- c The universe contains various galaxies that move away from each other. ()
- d Eight planets including the Earth rotate around the galaxy. ()
- e Galaxies rotate in a system around the centre of the universe. ()
- f Saturn rotates around the sun once every 12 earthly years. ()
- g Jupiter rotates around itself once every 59 earthly days. ()
- h The Earth rotates in a fixed orbit due to the effect of the Earth's gravity. ()
- i Galaxies move away in the cosmic space. ()

2 Give reasons for each the following:

- a The continuous expansion of space.
- b The constancy of the Earth's rotation in an orbit around the sun.
- c The difference in the day due to the difference of the planet.
- d The difference in the year due to the difference of the planet.
- e Galaxies move away from each other.

3 Write a paragraph illustrates each of the following:

- a The crossing star theory.
- b The nebula.
- c The cosmic space.
- d The galaxy.
- e The solar system.

- 4** Complete the following paragraph using the following words:
(Universe - galaxies - the cosmic space - the Milky Way - the sun - the Earth
- the moon - the stars)

..... rotates around the Earth in a fixed orbit and rotates
around the sun once every earthly year. Planets rotate around in
fixed orbits. The solar system occupies a position at the edge of
We see from the surface of the Earth that this galaxy contains.
Galaxies move away in and this expanded is
a cosmic space and galaxies that contain the stars.

The first term - Unit Four

Reproduction and Species Continuity


Introduction

The reason behind creation is the continuity of species. This is to keep the living organisms from extinction and ensure their interaction with environment.

This occurs through reproduction that basically takes place through the continual divisions of cells. Cellular division differs among different living organisms. It includes two types of divisions:

- ✓ Mitosis that aims to increase the number of cells.
- ✓ Meiosis that aims to decrease the number of chromosomes to half during the formation of gametes.

Reproduction is classified according to the species of living organisms: simple living organisms are divided asexually to produce offspring identical to parents, whereas other complex living organisms reproduce sexually sexual reproduction are a source of genetic variation.





UNIT OBJECTIVES

By the end of this unit, you should be able to:

- ✓ Identify chromosomes and their role in cell division.
- ✓ Trace phases of mitosis and illustrates its importance.
- ✓ Trace phases of meiosis and illustrate its importance.
- ✓ Compare between mitosis and meiosis.
- ✓ Identify the concept of asexual reproduction.
- ✓ Identify that asexual reproduction produces offspring identical to parents.
- ✓ Identify the concept of sexual reproduction.
- ✓ Conclude that sexual reproduction is a source of genetic change.

Included issues

- ♦ Over - population .
- ♦ Health .




Lesson 1
Cell division



Lesson 2
Asexual and sexual reproduction

Cell Division



Lesson objectives

By the end of this lesson, students should be able to:

- ✓ Identify chromosomes and their role in cell division.
- ✓ Trace phases of mitosis division and illustrate its importance.
- ✓ Trace phases of meiosis and illustrate its importance.
- ✓ Compare between mitosis and meiosis.



Lesson terms

- ✦ Chromosomes.
- ✦ Mitosis.
- ✦ Meiosis.

What is the importance of cell division process to living organisms?


Multicellular organism's bodies contain two types of cells: somatic cells and reproductive cells. Each type is divided in a special way.

Cells in multicellular organisms are divided in different ways to achieve different purposes:


- Somatic cells are divided by mitosis which leads to the growth of living organisms and compensation of the damaged cells.
- Reproductive cells are divided by meiosis which leads to the formation of gametes male and female gametes which are responsible for reproduction in living organisms and the transfer of genetic traits from parents to their offspring.

Which part of the cell is responsible for cellular division?

The cell nucleus contains the genetic material of the living organism. This genetic material consists of a number of chromosomes, which have the main role in cell division.



▲ Figure (1): The cell



▲ Figure (2): A chromosome

General structure of the chromosome :

Notice the figure above to see that the chromosome consists of two connected threads at the centromere. Each thread is called chromatid. The chromosome chemically consists of nuclear acid called DNA and protein. the DNA carries the genetic information of the organism.

Information

Enriching information:

- The number of chromosomes in living organisms is different from one species to another but fixed in members of the same species. Somatic cells in most living organisms contain two sets of chromosomes (one inherited from the father and the other inherited from the mother) known as the diploid number ($2N$), while the gametes (male gametes (sperms) female gametes (ova) contain the haploid number (N). Knowing the number of chromosomes helps in determining the animal and plant species.

First: Meiotic division

Did you ever wonder: How does your body grow? How does the seed grow? How do the roots, stems and leaves grow?

Mitosis occurs in the somatic cells of organisms. It leads to the growth of the living organisms and compensation of their damaged cells.

Before studying the phases of this division, you must understand that before starting division the cell passes through a phase where some important biological processes occur to prepare the cell for division. This phase is called **interphase** in which the amount of DNA (the genetic material) duplicates.



▲ Figure (3): Interphase

Then the cell enters into the mitosis which takes place through the following four phases:

① Prophase

Observe their figure that shows the:


- Chromatin reticulum condenses and appears in the form of long, thin and double strings (chromosomes).
- A network of filamentous fibres called a spindle is composed and extend between the two poles of the cell.
- The spindle fibres in the animal cell is formed from the centrosome.
- In the plant cell, the spindle is composed from the cytoplasm at the cell poles.
- Each chromosome is connected with one of the spindle fibres by the centromere.
- At the end of this phase, the nucleolus and nuclear membrane disappear.



▲ Figure (4): Prophase

2 Metaphase :


- In this phase, chromosomes are arranged along the cell equator where each chromosome is attached with one of the spindle fibers at its centromere.



▲ Figure (5): Metaphase

3 Anaphase:


- the Centromere of each chromosome splits lengthwise into two halves. Chromatids in each chromosome then separate from each other become separate
- Spindle fibers begin to shrink , so two identical groups of chromatids are formed. Each group migrates towards one of the cell's poles.



▲ Figure (6): Anaphase

4 Telophase:

- In this phase, a series of adverse changes occur which lead to the formation of a complete set of chromosomes that have the same number of the mother cell's chromosomes. Nuclear threads, a nuclear network and then two new separate cells are formed. Each cell has the same number of chromosomes of the mother cell ($2n$).



▲ Figure (7): Telophase

Second: Meiotic division

How the sperms and ova in humans and animals are formed? And how pollen grains and ovules in flowering plants are created?

Meiosis occurs in living organisms that reproduce by gametes. In humans and animals, this division occurs in the testis to produce the male gametes (sperms) and in the ovary to form the female gametes (ova). Similarly, in flowering plants this division occurs in the anther to produce the pollen grains and in the flower's ovary to form an ovum.

Meiosis is different from mitosis in that each produced cell contains half the number of chromosomes of the parent cell. This reduction occurs by the meiosis in two successive stages where the chromosomes are doubled once in the interphase that takes place before the beginning of the first meiotic division.


First meiotic division

1 Prophase I:

- Chromatin reticulum intensifies and appears in form of distinct chromosomes, then chromosomes are arranged in homologous pairs, each pair consists of 4 chromatids and called a tetrad.
- At the end of the prophase I, nuclear membrane disappears and every two homologous chromosomes (in the tetrad) start to move away from each other. Each chromosome consists of two chromatids linked together by the centromere. The spindle appears and the chromosomes get connected with spindle fiber.




▲ Fig (8): Interphase I



▲ Fig (9): Prophase I

2 Metaphase I:


- In this phase, chromosomes pairs arrange on the cell's equator.



▲ Fig (10): Metaphase I

3 Anaphase I :


- In this phase every two homologous chromosomes move away from each other as the spindle fibers shrink. One of the two chromosomes migrates towards a cell pole and the other migrates towards the other pole. Each pole contains half the number of chromosomes of the parent cell.



▲ Figure (11): Anaphase I

4 Telophase I:

- In this phase, at each of cell's poles a nuclear membrane is formed around the chromosomes. So, there are two nuclei. Each one has half the original number of chromosomes of the parent cell. Then the cell enters into the second meiotic division.




▲ Figure (12): Telophase I

Second meiotic division:

It aims to increase the number of produced cells. Each cell is called the (gamete), containing half the number of species chromosomes.

Each cell of the two cells which resulted from the first meiotic division is divided in a way similar to mitosis division phases. In the final phase (telophase II) of this division, four cells are produced and each of them contains half the number of chromosomes of the parent cell.


When male gamete combines with female gamete, the zygote is formed. It contains the original number of the organism's chromosomes. Thus, the number of chromosomes remains constant in the cells of individuals of the same species.



▲ Figure (13): Second meiotic division

The crossing over phenomenon

- At the end of prophase I, some pieces of the two inner chromatids of each tetrad are exchanged to produce new genetic arrangements. This process is called the crossing over phenomenon.



▲ Figure (14): The crossing over phenomenon

What is the importance of the crossing over phenomenon?

- It contributes in genes (that carry genetic traits) exchanging between the two homologous chromosome's chromatids and distributing them randomly in the gametes. This is an important factor for the variation of genetic traits among the individuals of the same species.

Lesson 1 exercises

- 1** Put a(✓) or (✗) in front of the following sentences and correct the false ones:

- a Meiotic division occurs in somatic cells.
- b Meiotic division produces cells that contain half of the genetic material.
- c The crossing over phenomenon occurs in the anaphase of first meiosis.
- d Meiotic division aims to production of the gametes.

- 2** The following microscopic images illustrate the first meiotic division phases:

- a Identify each phase.
- b Arrange these phases according to the periority of occurrence.




- 3** Compare between meiosis and mitosis in accordance to:

The purpose of the division - site of occurrence – division phases – division results

- 4** Explain the following phenomenon and state what is its importance.



Sexual and Asexual Reproduction



Lesson objectives

By the end of this lesson, students should be able to:

- ✓ Identify the concept of asexual reproduction.
- ✓ Identify that asexual reproduction produces offspring identical to parents.
- ✓ Identify the concept of sexual reproduction.
- ✓ Identify that sexual reproduction is the source of genetic change.



Lesson terms

- Asexual reproduction.
- Binary fission propagation
- Budding.
- Regeneration.
- Spore.
- Vegetative propagation.
- Sexual reproduction.

Living organisms are characterized by their ability to reproduce. Reproduction is a biological process where the living organism produces new individuals of the same kind and thus, ensuring its continuity. In this process, the genetic traits move from parents to offspring.

Types of reproduction in living organisms:

1 Asexual reproduction:

- Asexual reproduction occurs by only one living organism. It mostly occurs in single-celled living organisms such as budding in a yeast and binary fission in Amoeba.

2 Sexual reproduction

- Sexual reproduction occurs in most higher living organisms of plants and animals. It occurs through two living organisms, one of them is a male and the other is a female.


First: Asexual reproduction

Asexual reproduction usually occurs in unicellular living organisms and also occurs in some multicellular animals and plants where a living organism produces new individuals that have genetic traits identical to the parents. Asexual reproduction includes **mitosis** and does not require special systems or structures in the living organism. The following are some types of asexual reproduction.

Types of asexual reproduction

① Binary fission

- It is a type of the asexual reproduction that occurs in unicellular living organisms. The nucleus is divided by **mitosis** and then the cell which represents the body of the unicellular organism splits into two cells each one becomes a new individual.
- This type of division occurs in unicellular protozoans such as Amoeba, Paramecium and Euglena and also in simple algae and bacteria.



▲ Figure (15): Reproduction by binary fission in bacteria

2 Budding :

It is one of the asexual reproduction types that occurs in unicellular living organisms (such as yeast fungus) and multi-cellular organisms (such as Hydra and Sponges)



Discover how does yeast fungus reproduce.

Materials and tools :

A piece of yeast - sugar solution- warm water - microscope - a glass slide -cover slips – a teeth stick).

Procedures:

- 1** Add 1 ml sugar solution and 1 ml of warm water to 2 ml yeast in a plate and leave them for ten minutes in a warm dark place.
- 2** Take some of the mixture and place it on a glass slide. Place the cover slip gently.
- 3** Examine the slide under the microscope and record what do you observe.
- 4** Compare what do you observe with the opposite figure.



▲ Figure (16): Budding in the yeast

In the previous activity, you observe the following:

- In yeast, the bud emerges as a lateral bulge in the cell, then the cell nucleus is divided (by mitosis) into two nucleoli. One of them remains in the parental cell and the other immigrates to the bud.
- A bud grows gradually and remains connected to the parental cell until it is fully grown then separates from it or remains to form a colony.

3 Regeneration :

- Regeneration is the ability of animals to compensate their missing parts. The living organism can reproduce by one of its parts. Starfish arms could be regenerated and give out a complete animal if they contain a part of the central disc of the animal.



▲ Figure (17) Starfish with many arms arises from a central disc part

Question**for thinking**

- If the number of chromosomes in a starfish mother cell is $(2N)$, how many chromosomes are there in the cells resulted by regeneration? Why?

4 Sporogony(Spore propagation)

- It is a type of asexual reproduction which is more common in some fungi such as bread mould, mushroom and some algae, where they have special organs called sporangia (a singular sporangium). Each sporangium has a large number of spores that release after rupturing its wall. When spores find a suitable environment, they start growing to give out a new organism.



▲ Figure (18): Release of spores from the sporangium of bread mould fungus.

5 Vegetative (reproduction)

- You already studied that plants reproduce vegetatively without needing seeds by their vegetative organs such as leaves, roots and stems, and the cells (tissues culturing) in order to produce new plants very similar to the parent plant. Vegetative propagation in plants includes cell's mitotic division.

From the above, you see that the asexual reproduction produces offspring identical to their parents.


Asexual reproduction in living organisms produces individuals identical in genetic structure with the original organism. The similarity in the genetic structure of the resulted offspring is caused by (mitosis). The new offspring gets a full copy of the parental individual's genetic traits. Thus, no genetic variations occurred causing difference in the resulting offspring from the original organism.

Second: Sexual reproduction

It is the most common type of reproduction especially in the higher living organisms. Sexual reproduction occurs between two parental individuals. One of them is a male and the other is a female. Sexual reproduction depends on two main processes: formation of gametes and fertilization.

Formation of gametes

- Gametes in organisms are formed of cells known as reproductive cells by the meiotic division (reduction division). Gametes resulted from this division contain half the number of chromosomes (N) of organism's somatic cells.



▲ Fig (19): Meiosis and gametes formation

Fertilization : (Fig 20)

- It means the combination of the male gamete (N) and female gamete (N) to form a zygote (2N) which contains the normal number of chromosomes of the organism. This zygote contains genetic material from each parent. When it grows, it gives a new offspring whose traits combine each parent's traits.

Sexual reproduction is a source of genetic variation:

- The offspring resulting from sexual reproduction get the genetic traits from two sources; one of them is the male parent and the other is the female parent. This means that the resulted offspring have new genetic traits that combine the parent's traits. Thus, sexual reproduction is a source of genetic variation.



▲ Fig (20): Sperms surround the ovum before fertilization

Lesson 2 exercises

- 1** Compare between sexual reproduction and asexual reproduction in terms of the genetic traits of the resulted offspring..
- 2** Write the scientific term for each of the following:
 - a** It is a process where the organism produces new individuals of genetic traits identical to parents.
 - b** It is the ability of some animals to compensate the missing parts.
 - c** It consists in living organisms of cells known as reproductive cells through meiosis.
- 3** Put a (✓) or (✗) in front of the following sentences and correct the false ones:
 - a** The offspring resulted from the asexual reproduction has traits different from the original organism. ()
 - b** Sexual reproduction maintains the genetic structure of the living organisms.. ()
 - c** Amoeba is divided by the binary fission into two identical cells; each is similar to the parental cell. ()
 - d** A bud emerges as lateral bulge in the cell then the cell nucleus divides meiotically into two nuclei; one of them remains in the parental cell and the other one immigrates to the bud. ()
- 4** Sexual reproduction is a source of genetic variation... explain.
- 5** Explain by drawing, How are gametes produced by sex cells through the meiotic division?



Science, Technology and Society

Enriching activity

Preparing a slide from the growing tip of onion's root .

materials:

Onion - a beaker filled with water - compound microscope - microscope slides and their covers- scalpel - tweezers - hydrochloric acid 18% - fulgent solution - acetic acid (45 %.)

Procedures:


- 1** Plant the onion in the beaker of water until it gives out roots with 2 – 3 cm length. Then, cut some growing roots from the top with 1 – 2 cm length by a scalpel and put those roots in a glass tube.
- 2** Add 1 – 2 ml of (hydrochloric acid 18%) to the roots for 20 minutes. Then, put the tube in a water bath with a temperature 50 °C for 7 minutes .
- 3** Wash the roots in distilled water to get rid of the acid. Then, add 1 – 2 ml fulgent solution to the roots and leave it for 20 – 30 minutes .
- 4** Using the tweezers, put one of the growing roots on clean glass slide.
- 5** Using the scalpel, cut the growing tip carefully and add 1 or 2 drops of the acetic acid to it. Then, cover the sample by the cover slip.
- 6** Press gently by your thumb on the cover slip to mash the growing tip.
- 7** Examine the slide by the compound microscope to see the phases of the mitosis and study the most important characteristic of each phase.



Technological application

Nanotechnology and cancer treatment


- Cancer occurs when the body cells are divided continually without controlling. The mass resulted from this division is called the tumor. Using nanotechnology, scientists have developed smart microscopic bombs that penetrate the cancer cells and explode them from the inside. They were used to kill the cancer cells in an experimental mice. Mice suffered from cancer were able to live 300 days after this treatment. As for mice that did not receive treatment, they did not live more than 43 days.
- The Egyptian scientist Dr. Mustafa El Said discovered a way to detect the cancer cells. This technical starts by loading proteins (they have the ability to attach to the cancerous cell secretions) with NANO- molecules of gold and then injecting them into the patient. The infected cell surface proteins get intertwined with the golden molecules to make it possible to monitor the infected cells through a microscope; each cell separately.
- The method of treatment is focusing laser with a certain degree to the gold molecules. Then it absorbs the light and converts it into heat which leads to burn and kill the infected cells that has stuck to them.



Technological application

Liver Transplantation

- Some cells in the human body are not divided at all such as nerve cells and red blood cells. Some cells are not divided in normal conditions but they retain the ability to divide under certain circumstances such as liver cells. For example, if the liver gets injured or a part of it is cut, the remaining cells undergo division so as to compensate the missing part. This is the scientific basis used in liver transplantation.



Unit 4 Exercises

1 Put a(✓) or (✗) in front of the following sentences and correct the false ones:

- a** Somatic cells are divided by meiosis division which leads to the growth of living organisms and compensation of the damaged cells.
- b** Reproductive cells are divided by mitosis which leads to the formation of gametes
- c** Chromatin reticulum condenses and appears in the form of long, thin and double strings (chromosomes) in the telophase of the mitosis division.
- d** Meiosis results in the formation of two cells; each contains half the genetic material of the parental cell.
- e** The asexual reproduction produces living organisms similar in their genetic structure.
- f** Gametes in living organisms are produced by special cells known as the somatic cells during the meiotic division.

2 Write the scientific terms for each of the following statements:

- a** A phase in which some important vital processes occur to prepare the cell for division and the genetic material in the cell is doubled.

- b** A phase in which the chromosomes migrate towards the cell equator where each chromosome is connected with one of the spindle fibers at the centromere.
 - c** A phase where some processes occur upon which the formation of chromosomes that equal in numbers with the parental cell take place.
 - d** It contributes in genes exchanging between the chromosome's chromatids and distributing them in the gametes.
 - e** A cell division that occurs in the somatic cells and results in the growth of the living organism.
 - f** It results from the combination of a male gamete and a female gamete and contains the diploid number of chromosomes ($2N$) of the living organism.
 - g** A type of the asexual reproduction that occurs in unicellular living organisms, in which the nucleus is mitotically divided (mitosis) and then the cell which represents the body of the unicellular organism splits into two cells.
- 3** Explain how sperms and ova are formed in the human being?
- 4** Explain using drawing the crossing over phenomenon and its role in the variation of genetic traits among members of the same species.

Unit 4 Exercises

5 Compare between each of the following :

- a Meiosis and mitosis.
- b Sexual reproduction and asexual reproduction.

6 Clarify the importance of each of the following:

- a The meiotic division in keeping the number of chromosomes constant in the same species.
- b The sexual reproduction in the occurrence of the genetic variation.
- c The asexual reproduction in producing offspring identical to their parents.

7 What is the relation between the genetic structure for each of offspring and parents in the following cases and give the reason:

- a Binary fission in paramecium.
- b The plant resulted from germination of seeds.



General Exercises on the First Term


General exercises on the first term

1 Choose the Correct answer for each of the following


- ① A student takes a time of 10 minutes to transfer from his home to the school moving by average velocity 2 m/sec , which of the following equals the distance between his home and the school.

1- 84 m 2- 48 m 3- 1.2 km 4- 3.6 km

- ② Which of the following graphical relations represents the moving of a body by uniform acceleration:



- ③ In the opposite figure, a body starts his motion from the point (a) directed to the south to the point (b), he covers a distance of 40 m , then he is directed to the east to the point (c) which far 30 m a part from the point (b), so :



a) The value of the body displacement equals:

- 1- The length of ab 2- The length of bc
3- The length of ac 4- The length of ab + bc

b) The length of the distance covered equals:

- 1- The length of ab 2- The length of bc
3- The length of ac 4- The length of ab + bc

Exercises (1)

General exercises on the first term

- 4 The Two factors which can be used to describe the body motion are:
- 1- The speed and the time
 - 2- The distance and the time
 - 3- The area and the time
 - 4- The displacement and the speed
- 5 The Concept of the body movement means:
- 1- Constancy of its position with the change in the time
 - 2- The change in its position with the time
 - 3- Its speed
 - 4- Its acceleration
- 6 If the uniform velocity of a car is 72 km/hr, this means that its velocity equals :
- 1- 20 m/sec
 - 2- 25 m/sec
 - 3- 18 m/sec
 - 4- 40 m/sec
- 7 If the value of the speed $(V) = \frac{d_1 + d_2 + d_3}{t_1 + t_2 + t_3}$, this means that this speed is:
- 1- average speed
 - 2- increasing
 - 3- nil
 - 4- Decreasing
- 8 When the body covers equal distances in equal intervals of time, this means that the body moves with:
- 1- uniform velocity
 - 2- uniform acceleration
 - 3- increasing velocity
 - 4- Increasing acceleration

General exercises on the first term

- 9 The measuring unit of acceleration is:
- 1- m/sec
 - 2- km /sec
 - 3- m/sec²
 - 4- all the Previous
- 10 When the body moves by acceleration equals zero, this means that :
- 1- The body velocity is variable
 - 2- The body acceleration is increasing
 - 3- The body acceleration is decreasing
 - 4- The body speed is uniform
- 11 A convex lens is placed in the path of sun rays, a very small image for the sun is formed at a distance 5 cm from the optical centre of the lens, if this lens is used to form an equal image for a body, what is the distance between the body and the optical centre of the lens:
- 1- 5 cm
 - 2- 10 cm
 - 3- 50 cm
 - 4- 60 cm
- 12 A body is placed in front of concave mirror at a certain distance from its pole and no image is formed on the screen, this is due to the body is:
- 1- Transparent
 - 2- Placed at infinite distance in front of the mirror
 - 3- opaque
 - 4- Placed at the focus of the mirror.

Exercises (1)

General exercises on the first term

- 13 Romans use a huge optical piece to burn the sails of enemies ships by using sun rays, what is the suitable optical to do this action ?
- 1- Convex mirror
 - 2- Concave mirror
 - 3- Plane mirror
 - 4- Concave lens
- 14 Which of the following physical quantities are considered as vectors only?
- 1- The mass and the force
 - 2- The displacement and the acceleration
 - 3- The radius and the area
 - 4- The force and the time
- 15 The image of the body formed behind the plane mirror is always:
- 1- virtual - enlarged - erect
 - 2- real - diminished - inverted
 - 3- real - equal - inverted
 - 4- virtual - equal - erect
- 16 If the focal length of a concave mirror equals 10 cm, to obtain a virtual image, the body is placed at a distance from the mirror pole equals:
- | | |
|----------|----------|
| 1- 10 cm | 2- 15 cm |
| 3- 20 cm | 4- 5 cm |

General exercises on the first term

- 17 The two gases which produced galaxies, stars and universe through millions of years are:
- 1- Qxygen and helium
 - 2- Oxygen and carbon dioxide
 - 3- Hydrogen and helium
 - 4- Hydrogen and carbon dioxide
- 18 The Source of gentc variation is the reproduction
- 1- budding
 - 2- vegetative
 - 3- Sexual
 - 4- regeneration
- 19 The ratio between the number of chromosomes present in the gametes produced by meiotic cell division to the number of chromosomes present in somatic cells is:
- 1- quarter
 - 2- double
 - 3- third
 - 4- half
- 20 The optical piece which forms equal, inverted image of the body is:
- 1- Convex lens
 - 2- Concave lens
 - 3- Spherical mirror
 - 4- Plane mirror
- 2 Give reason for each of the following scientifically:
- a) Most people can not write correctly, while seeing their writings through a plane mirror.
 - b) Most of moving cars can not move inside crowded town all the time by uniform velocity.

Exercises (1)

General exercises on the first term

- c) It is impossible to obtain real image by using concave lens only.
- d) A moving car seems to be at rest relative to the rider of another moving car beside it with the same velocity and direction.

3 One of the students approach a lens to one of his eyes and see through it, he observes that the image of the object seems erect. After the lens becomes far to a certain distance from one of his eyes, he observed that the image of the object seems inverted.

The student concludes that the lens must be convex.

- a) Is the conclusion of the student correct or incorrect?
- b) Explain your answer.

4 Complete the following by suitable scientific words:

- a) The somatic cells divide by cell division, while the reproductive cells divide by cell division .
- b) The yeast fungus reproduces by budding which is considered as a type of reproduction .
- c) From the examples of living organisms which reproduces by regeneration is.....
- d) When the male gamete fuses with the female gamete is formed.

5 Correct the underlined words in the following statements:

- a) The solar system lies in Andromeda galaxy.
- b) The founder of crossing star theory is Alfred hell.

General exercises on the first term

c) The complete rotation of Mars planet around the sun takes a time equals 12 earth year.

d) The long sightedness is corrected by using of a convex mirror.

6 Draw a diagram to illustrate the image formed when the object is placed at a distance more than double the focal length in case of :

a) the concave mirror.

b) the convex lens.

7 Define each of the following:

a) Light reflection phenomenon.

b) Spherical mirror.

c) The day in terms of the rotation of the Earth.

Exercises (2)

General exercises on the first term

1 Compare between each of the following:

(Using tables and diagrams if it is possible).

- 1- Convex mirror and concave mirror.
- 2- Concave mirror and plane mirror.
- 3- Real image and virtual image.
- 4- Concave mirror and convex lens.
- 5- Long sightedness and short sightedness.
- 6- Meiotic division and mitotic division.
- 7- Sexual reproduction and asexual reproduction.
- 8- Distance and displacement.

2 Give reason for :

- 1- The concave lens is considered as a diverging lens.
- 2- Mass, length and time are considered as scalar physical quantities.
- 3- Binary fission is considered as mitotic division.
- 4- Asexual reproduction in plants does not need the presence of gametes.

3 Write the scientific term for each of the following statements:

- 1- The distance covered in a given direction.
- 2- The physical quantities that include time, length and mass.

General exercises on the first term

- 3- A disease infects the eye lens, so it becomes opaque.
- 4- The ability of some animals to compensate the missing parts by reproduction.
- 5- A process in which the inner parts of chromatides of each tetrad are exchanged.
- 6- A process in which the fusion takes place between male gamete and female gamete to form zygote.

4 Complete the following statements:

- 1- The velocity is the in one second.
- 2- The physical quantities are classified into and
- 3- The change in the speed of the body per unit time is called.....
- 4- From the most important vision defects are and
- 5- The convex lens the light, while the convex mirror the light.
- 6- The image formed by concave lens is always
- 7- The sexual reproduction depends on two processes which are and
- 8- Crossing over phenomenon occurs during the phase of division.

5 Put the sign (✓) in front of the correct statements and the sign (x) in front of the incorrect statements.

- 1- The time is a vector physical quantity .
- 2- The displacement is a scalar physical quantity .

Exercises (2)

General exercises on the first term

- 3- The length is a scalar physical quantity .
- 4- Each lens has one centre of curvature.
- 5- Sun gravity controls the rotation of the planets around it.
- 6- Venus planet rotates around itself slowly .
- 7- The unicellular protozoans reproduce by binary fission.
- 8- The gametes are often (2 N), while somatic cells are often (N).

6 What is meant by :

- 1- The scalar physical quantities.
- 2- The velocity.
- 3- The centre of curvature of the convex mirror.
- 4- The light year.
- 5- Nebula.
- 6- The earth's day.
- 7- The fertilization.
- 8- The budding.
- 9- The regeneration.
- 10- The somatic cell.

7 Answer the following questions

- 1- If the angle between the incident light ray and the reflected light ray on a plane mirror = 120° Calculate the angle of incidence.
- 2- If the number of chromosomes in liver cells of a living organism is (32), What is the number of chromosomes in its reproductive cells?

General exercises on the first term

8 Show by drawing each of the following and write down the labels as possible.

- 1- The formation of the image of a body between the centre of curvature of a concave mirror and its focus.
- 2- The formation of the image of a body at the centre of curvature of a concave mirror.
- 3- The structure of the chromosomes.
- 4- Metaphase in mitotic division.
- 5- Anaphase in the first meiotic division.
- 6- The reproduction in the yeast fungus.
- 7- The reproduction by binary fission.

9 Explain by an experiment each of the following :

- 1- The first law of the light reflection.
- 2- Determination of the focus of a convex lens.

10 Choose the correct answer:

- 1** All of these are from the examples of the scalar physical quantities except :
 - a- The length and the acceleration.
 - b- The time and the mass.
 - c- The mass and the speed.
 - d- The time and the speed.
- 2** The shortest distance covered by a body in a certain direction is called :
 - a- The distance.
 - b- The displacement.
 - c- The acceleration.
 - d- The speed.

Exercises (2)

General exercises on the first term

- 3 From the examples of the vector physical quantities:
- a- The displacement.
 - b- The mass.
 - c- The time.
 - d- The length.
- 4 To determine the length, mass and time we must know :
- a- The magnitude and the direction.
 - b- The magnitude and the measuring unit.
 - c- The direction and the measuring unit.
 - d- The magnitude, the direction and the measuring unit.
- 5 The longest day is on the planet:
- a- Venus.
 - b- Mars.
 - c- Mercury.
 - d- Jupiter.
- 6 Reproduction by spores occurs in all of the following organisms except.
- a- starfish.
 - b- algae.
 - c- bread mould.
 - d- mushroom.
- 7 The parental individual disappears when the reproduction occurs in the:
- a- bacteria.
 - b- yeast.
 - c- bread mould.
 - d- mushroom.

General exercises on the first term

1 Write the Scientific term for each of the following statements:

- 1- The change in the position of a body by the time relative to the position of another body.
- 2- The displacement covered per unit time.
- 3- The result of dividing the distance by the time.
- 4- The total distance covered by a moving body divided by the total time.
- 5- The speed when the body covers equal distances in equal intervals of time.
- 6- The speed when the body covers equal distances in different times.
- 7- The thing which moves by constant velocity in the space even the surrounding conditions are changed.
- 8- The movement in a straight path.
- 9- The speed of a moving body relative to the observer.
- 10- The change in the speed of a body in one second.
- 11- The length of the actual path which covered by the moving body from the starting point to the end point of the motion.
- 12- The distance covered in a certain direction between the starting point and the end point.
- 13- The angle of incidence = the angle of reflection.
- 14- The ray which falls on the reflecting surface.
- 15- The angle between the reflected ray and the perpendicular line on the reflecting surface from the point of incidence.

Exercises (3)

General exercises on the first term

- 16- The mid point on the reflecting surface of the mirror.
- 17- The straight line that passes by the centre of curvature and any point on the surface of the mirror except its pole.
- 18- The optical piece which is thick at the tips and thin at the middle and diverge the light rays falling on it.
- 19- A point in the middle of the lens, lies at the principal axis in the mid distance between its faces.
- 20- The line joining the two centres of curvature of the lens and passing through its optical centre.
- 21- Seeing the near objects clearly and seeing the far objects distorted.
- 22- A disease that infects the eye and the lens becomes opaque.
- 23- The part in the cell which is responsible for cellular division.
- 24- It consists of two chromatids connected together at centromere.
- 25- Fibers extend between the two poles of the cell in prophase.
- 26- The phase in which the cell prepares itself to divide by duplicating the genetic material.
- 27- The phase in which the chromosomes are arranged at the middle of the cell during its division.
- 28- It occurs at the end of the first prophase of the meiosis, in which the inner parts of chromatids are exchanged.
- 29- The process in which the living organism produces new individuals carry genetic traits identical to their parents.

General exercises on the first term

- 30- The ability of some animals to compensate their missing parts.
- 31- The cells resulting from meiotic division and have half number of chromosomes of the original cell.
- 32- It has genetic material from both parents and during growth gives new individual carries the traits of both parents.
- 33- Cellular division occurs in somatic cells and resulting in the growth of living organisms.
- 34- It results from the fusion of a male gamete with a female gamete and it contains the diploid number of chromosomes ($2N$) of the living organism.
- 35- Cellular division that produces sperms and ova.
- 36- The most common asexual reproduction in fungi and algae.
- 37- A type of asexual reproduction occurs in yeast fungus and sponges.

2 Complete the following:

- 1- The product of the velocity of the body \times the time =.....
- 2- is defined as the distance covered per unit time.
- 3- The measuring unit of the velocity..... ,
- 4- If the measuring unit of the displacement is meter and of time is second, so the measuring unit of the velocity is
- 5- To describe the motion, must be know and
- 6- The measuring of relative speed depends on

Exercises (3)

General exercises on the first term

- 7- The graphical relation (distance - Time) for uniform speed is represented by line passing through the point of origin.
- 8- The graphical relation (velocity - time) for uniform velocity is represented by straight line to the time axis.
- 9- The measuring unit of the acceleration is
- 10- and are from scalar physical quantities.
- 11- and are from vector physical quantities.
- 12- The displacement of the body through an interval time does not depend on the distance but depends on
- 13- If the body moves from rest, so its initial speed equals
- 14- The reflecting surface of the convex mirror is a part of sphere.
- 15- The radius of curvature of the concave mirror equals..... its focal length.
- 16- The image formed by lens is always virtual, erect and diminished.
- 17- The person suffers from long sight is treated by using lens.
- 18- The earth planet belongs to a galaxy called
- 19- The sun takes year to complete one rotation around the centre of galaxy.
- 20- As the distance between the planet and the sun increases, the sun's gravitational force and its motion becomes

General exercises on the first term

- 21- The shortest year is the year of planet.
- 22- The chromosome consists of connected at the
- 23- The chromosome is composed of the nuclear acid called
- 24- During prophase intensifies and appears in the form of thin strings.
- 25- During metaphase are directed to the equator of the cell.
- 26- division happens in somatic cell and it leads to the growth of the living organisms.
- 27- It is formed at each pole of the cell where a nuclear membrane surrounding the chromosomes in the stage of the cell division .
- 28- The mitotic division happens in the cells.
- 29- The meiotic division happens in the cells.
- 30- Crossing over happens in the stage in the cell division.
- 31- division aims to forming gametes.
- 32- From types of asexual reproduction are and
- 33- During asexual reproduction, the number of parents is
- 34- During sexual reproduction, the number of parents is
- 35- Asexual reproduction in the bacteria happens by
- 36- Asexual reproduction in the yeast fungus happens by

Exercises (3)

General exercises on the first term

- 37- Asexual reproduction in the starfish happens by
- 38- Asexual reproduction in the bread mould happens by
- 39- Vegetative reproduction in plant happens without need to the
- 40- The offspring result from reproduction have characters differ from their parents.
- 41- The gamete has number of chromosomes equals the number of chromosomes in the original cell.

3 What happens when:

- 1- A plane mirror is placed at the left side of the driver instead of the convex mirror.
- 2- A light ray incident by an angle 35° on a plane mirror.
- 3- A light ray passes through the optical centre of the lens.
- 4- The diameter of the eye becomes longer than a certain length.
- 5- A body is placed at the double focal length of the concave mirror.
- 6- The gravity between the planets rotate around the sun is vanished.
- 7- The parts of the inner chromatids are exchanged in the first prophase.
- 8- The nucleus of the cell is removed.
- 9- Putting yeast fungus in a warm sugar solution.

General exercises on the first term

- 10- Starfish losses one of its arms.
- 11- Fusion of sperm with an ovum.
- 12- Meiosis division of reproductive cells occurs in human body.
- 13- Somatic cells divide mitotically in the human body.

4 Give reason for:

- 1- It is difficult practically to make uniform (constant) speed.
- 2- The speed of moving body increases by decreasing the time needed to cover a certain displacement.
- 3- The importance of speedometer in cars and planes.
- 4- The distance is a scalar physical quantity, while the displacement is a vector physical quantity.
- 5- The velocity is a vector physical quantity.
- 6- The acceleration is positive when its value increases.
- 7- Pilots take in consideration the velocity of the wind.
- 8- Physicists using mathematical methods like graphs and tables.
- 9- The movement of the train can be considered as a motion in one direction.

Exercises (3)

General exercises on the first term

- 10- The short sightedness is treated by using a concave lens .
- 11- The lens has two foci but the spherical mirror has one focus only.
- 12- The galaxy which the earth planet belongs is called Milky way galaxy
- 13- The distances in the universe are measured by light years.
- 14- The constancy of the planets in their orbits around the sun.
- 15- The difference in the length of the day and year between the different planets.
- 16- The continuous expansion of the universe.
- 17- There is one axis in the spherical mirror.
- 18- The sexual reproduction is the source of genetic variation.
- 19- The asexual reproduction produce new individuals identical to the parents.

5 what is meant by :

- 1- The distance covered by a body is changed by 2 meters each second.
- 2- The average speed for a moving car = 60 Km/hr.
- 3- The body moves with uniform speed .
- 4- The body moves with irregular speed .
- 5- A car covers a distance of 100 km in two hours.
- 6- The velocity of the body = zero

General exercises on the first term

- 7- A body moves by acceleration = 5 m/sec^2 .
- 8- A body moves by acceleration = -2 m/sec^2 .
- 9- The image formed by the lens may be real or virtual.
- 10- A person suffers from the long sightedness.
- 11- The universe is always in continuous expansion.



6 Answer the following questions :

- 1- Boeing plane (747) travelled from Aswan airport to Cairo airport through one hour, it covered a distance of 1000 kms.
Calculate the reading of speedometer by (km/hr and by m/sec.) Given that the plane moves by constant velocity.
- 2- A driver used the brake to stop the car moving by 20 m/sec. Calculate the time taken by the car to stop. Given that the acceleration of the body equals - one m/s^2 .
- 3- One of the foxes attacked a deer at rest. If the speed of the fox is 120 km/hr, calculate the distance by km and meters covered by the fox to catch the deer if the time taken is 10 sec.
- 4- If a boat starts to move from rest till its speed becomes 2.5 m/sec. through 5 sec. Find :
 - a- The acceleration of the moving boat.
 - b- The type of the acceleration, give reason.

Exercises (3)

General exercises on the first term

- 5- A train moves by a velocity 20 m/sec, with uniform deceleration 2m/sec if the brake is applied. Find the time taken to stop the train.
- 6- If a person stands at 3m from a plane mirror, what is the distance between the person and his image?
- 7- If the angle between the reflected ray and the reflecting surface = 40° . Find the angle of incidence.
- 8- A body covers a distance 20 km through 4 minutes, then it covers 40 km through 12minutes. Calculate the average speed of the body.
- 9- If the angle between the incident ray and the reflected ray at the mirror surface = 140° , calculate the angle of incidence.

7 Describe the motion of the body in each of the following graphs :**8 What is meant by :**

- 1- The average speed.
- 2- The uniform speed.
- 3- The velocity.

General exercises on the first term

- 4- The angle of reflection.
- 5- The second law of light reflection.
- 6- The concave lens.
- 7- The cataract disease.
- 8- The galaxies.
- 9- The light year.
- 10- The fertilization.
- 11- The reproduction by regeneration or the phenomenon of regeneration.
- 12- The budding.
- 13- Asexual reproduction
- 14- The gamete.

9 put the sign (\checkmark) in front of correct statements and the sign (x) in front of in correct statements.

- 1- Meiosis division occurs in somatic cells. ()
- 2- The crossing over occurs in the telophase in the first meiosis. ()
- 3- The gametes result from meiotic division. ()
- 4- The sexual reproduction keeps genetic structure in the living organisms. ()
- 5- The Amoeba divides by the binary fission. ()
- 6- The yeast bud originates as lateral projection in the cell, then the nucleus is divided by meiosis into two nuclei, one of them stay in the mother cell and the other migrates to the bud. ()

Exercises (3)

General exercises on the first term

7- In the anaphase, the chromosomes arranged at the middle of the cell. ()

8- The starfish reproduces by regeneration. ()

9- The genetic material in the nucleus consists of a number of chromosomes. ()

10 Compare between each of the following:

- 1- Somatic cells and gametes in accordance to the number of chromosomes.
- 2- Mitotic division and meiotic division in accordance to the place of occurrence and the aim of division.
- 3- The sexual reproduction and asexual reproduction.
- 4- The budding and regeneration.

11 Choose the correct answer:

- 1** The rebounding of the light ray in the same medium when it meets a reflecting surface is known as :
 - a) incident ray.
 - b) reflected ray.
 - c) reflection phenomenon.
 - d) refraction phenomenon.
- 2** The straight line passing by the pole of the mirror and its centre of curvature is expressed:
 - a) the pole of the mirror.
 - b) the secondary axis of the mirror.
 - c) the principal axis.
 - d) There is no correct answer.

General exercises on the first term

- 3 The properties of the formed image of body placed at distance less than the double focal length and more than the focal length of the convex lens is
- a) Virtual, enlarged image.
 - b) Real , enlarged image.
 - c) real, diminished image.
 - d) virtual, enlarged image.
- 4 If a light ray falls on a convex lens and passing through its focus, so it
- a) passes in a straight line without deviation.
 - b) refracts parallel to the principle axis.
 - c) passes from the optical center in a straight line.
 - d) No correct answer.
- 5 If the focal length of a concave lens is 6 cm, so the radius of curvature is.....
- a) 3 cm.
 - b) 6 cm.
 - c) 9 cm.
 - d) 12 cm.
- 6 The time taken by Saturn planet to rotate around the sun is
- a) 12 years.
 - b) 29 years.
 - c) 84 years.
 - d) 165 years.

Exercises (3)

General exercises on the first term

- 7 The chemical structure of the chromosome is
- a) The nuclear acid DNA.
 - b) Protein.
 - c) Carbohydrates.
 - d) a, b together.
- 8 Reproductive cells resulted from the cell division by
- a) reduction.
 - b) meiosis.
 - c) mitosis.
 - d) a and b together.
- 9 The Centromere of each chromosome is divided vertically, then the two chromatids are separated from each other in the
- a) prophase.
 - b) telophase.
 - c) anaphase.
 - d) metaphase.
- 10 In the mitotic division, the chromosomes are arranged in the middle of the cell during
- a) metaphase.
 - b) prophase.
 - c) anaphase.
 - d) telophase.

General exercises on the first term

- 11 The cell prepares itself for the phases of meiotic division after duplicating genetic material in
- a) prophase.
 - b) interphase.
 - c) metaphase.
 - d) telophase.
- 12 The unicellular protozoans such as Amoeba and Paramecium reproduce by.....
- a) binary fission.
 - b) budding.
 - c) regeneration.
 - d) spores.
- 13 Asexual reproduction in the yeast fungus occurs by
- a) regeneration.
 - b) budding.
 - c) gametes.
 - d) cutting.
- 14 Asexual reproduction in bread mould fungus occurs by
- a) regeneration.
 - b) budding.
 - c) spores formation.
 - d) rhizomes.

Exercises (3)

General exercises on the first term

- 15 In the vegetative reproduction, the produced individuals are similar to their
- a) Parent individual.
 - b) both parent.
 - c) the zygote.
 - d) no correct answer.
- 16 In sexual reproduction, the male gametes fuse with female gametes to form
- a) the sporangium.
 - b) the zygote.
 - c) the nucleus.
 - d) the cytoplasm.
- 17 The parent individual disappears during reproduction in
- a) the bacteria.
 - b) the yeast.
 - c) the bread mould.
 - d) all the previous.
- 18 It contains genetic material from both parents and grow to form an individual carries characters from both parent. It is
- a) The gamete.
 - b) The zygote.
 - c) The cytoplasm.
 - d) The chromosome.

General exercises on the first term

- 19 The ability of some animals to compensate their missing parts is called.....
- a) regeneration.
 - b) budding.
 - c) forming spores.
 - d) sexual reproduction.
- 20 The process by which the living organism produces new individuals with genetic properties similar to the parent individual is called
- a) sexual reproduction.
 - b) Asexual reproduction.
 - c) vegetative reproduction.
 - d) b and c.
- 21 Meiosis division happens in cells of the
- a- liver.
 - b- two ovaries.
 - c- two testes.
 - d- b,c together.
- 22 Crossing over happens in the
- a- first prophase.
 - b- second metaphase.
 - e- first anaphase.
 - d- second anaphase.

Exercises (3)

General exercises on the first term

12 Illustrate each of the following with drawing

- 1- The structure of the chromosome.
- 2- The reproduction in the yeast fungus.
- 3- The reproduction by the binary fission.

13 State one function for each of the following

- 1- The convex lens.
- 2- The concave lens.
- 3- The contact lenses.
- 4- The light year.

14 Mention the most important use of the

- 1- Hubble telescope.
- 2- Graphics and tables.
- 3- The lenses.
- 4- The bullet train.

Answer of General Exercises

The answer of general exercises:

Answer of question 1: the scientific term:

- 1- The motion.
- 2- The velocity.
- 3- The speed.
- 4- The average speed.
- 5- The uniform speed.
- 6- The irregular speed.
- 7- The light.
- 8- The displacement.
- 9- The relative speed.
- 10- The acceleration.
- 11- The distance.
- 12- The first law of reflection.
- 13- The incident ray.
- 14- The angle of reflection.
- 15- The pole of the mirror.
- 16- The secondary axis of the mirror.
- 17- The concave lens.

Answer of General Exercises

- 18- The optical center of the lens.
- 19- The principale axis.
- 20- The short sight.
- 21- Cataract.
- 22- Nucleus.
- 23- Chromosome.
- 24- Spindle fiber.
- 25- interphase.
- 26- Metaphase.
- 27- Crossing over.
- 28- Asexual reproduction.
- 29- Regeneration.
- 30- Gametes.
- 31- Zygote.
- 32- Meitosis division .
- 33- Zygote.
- 34- Spores formation.
- 35- Budding.

Answer of General Exercises

The answer of question 2: complete the following:

- 1- the displacement.
- 2- the speed.
- 3- m/sec - km/hr.
- 4- m/sec.
- 5- the displacement, the time.
- 6- the position of the observer and direction relative to the motion.
- 7- straight line.
- 8- parallel.
- 9- m/sec^2 .
- 10- the length, the time.
- 11- the displacement, the force.
- 12- the speed.
- 13- zero.
- 14- external surface.
- 15- doubled.
- 16- concave.
- 17- convex.
- 18- milky way.

Answer of General Exercises

- 19- 220 million.
- 20- decrease, slow.
- 21- mercury.
- 22- chromatids , conteromere
- 23- DNA, protein.
- 24- chromatin reticulum, chromosomes.
- 25- chromosomes.
- 26- mitosis .
- 27- telophase.
- 28- somatic.
- 29- reproductive.
- 30- the first prophase.
- 31- meiosis .
- 32- regeneration, budding, binary fission, vegetative reproduction.
- 33- one.
- 34- two, individuals.
- 35- binary fission.
- 36- budding .
- 37- regeneration.
- 38- spores.

Answer of General Exercises

39- seeds.

40- sexual.

41- half.

The answer of question 3: what happens when..

(answer by yourself)

The answer of question 4: give reason for the following.

(answer by yourself)

The answer of question 5: what is meant by.

(answer by yourself)

The answer of question 6: answer the following questions.

(answer by yourself)

The answer of question 7: describe the motion of the body in the following graphical relation:

1 - The uniform speed.

2 - The body at rest .

The answer of the question 8: what is meant by:

(answer by yourself)

Answer of General Exercises

The answer of the question 9: put the sign (\checkmark) in the front of correct statement and the sign (x) in the front of incorrect statements:

1- x

2- x

3- \checkmark

4- x

5- \checkmark

6- x

7- x

8- \checkmark

9- \checkmark

**Answer of question 10: compare between each of the following
(answer by yourself)**

Answer of question 11: choose the correct answer

1- c - the reflection phenomenon.

2- c - the principal axis.

3- b - real, enlarged.

4- b - refract parallel to the principle axis.

5- d - 12 cm.

6- b - 29 years.

Answer of General Exercises

- 7- d - a,b together.
- 8- d - a and b together.
- 9- c - anaphase .
- 10- a - metaphase.
- 11- b - interphase .
- 12- a - binary fission.
- 13- b - budding.
- 14- c - spores formation.
- 15- a - parent individual.
- 16- b - zygote.
- 17- a - the bacteria .
- 18- b - zygote.
- 19- a - regeneration.
- 20- d - b,c.
- 21- d - b,c.
- 22- a - the first prophase.

Answer of General Exercises

The answer of question 12: show by drawing each of the following
(answer by yourself)

The answer of question 13: state one function for each of the following
(answer by yourself)

The answer of question 14: the most important usage for each of the
following
(answer by yourself)

Exam One

1- Complete the following statements:

- a- The measuring unit of the velocity is while the measuring unit of the acceleration is
- b- The somatic cells divide by while the reproductive cells divide by
- c- The crossing over phenomenon takes place in phase during division.
- d- The stars move in fixed orbits around the center of the
- e- The presence of the moon between the earth and the sun leads to the phenomenon.

2- Write the scientific term for each of the following statements:

- a- A point located inside the lens and lies on the principle axis and at the middle distance between its faces.
- b- A process by which the living organism produces individuals with traits differ from the parents.
- c- The value of the change in the speed of the body in one second.
- d- The unit which is used for measuring the distance between celestial bodies.

3- A convex lens has a focal length 10 cm, an object was placed at a distance of 20 cm from the lens. Determine the distance of the image from the lens and mention its properties.

4- put the sign (✓) in the front of correct statements and correct the incorrect statements.

Exam One

- a- The incident light ray parallel to the principle axis of a concave mirror is reflected passing by the curvature centre of the mirror.
- b- The aim of the mitosis division is the formation of gametes.
- c- When a moving body covers equal distances in equal intervals of time, it is said that it is moving with uniform acceleration.

5- Give reasons:

- a- The short sighted person.
- b- Asexual reproduction produces offspring identical to their parent.
- c- The perpendicular incident light ray on the plane mirror reflects on itself.

6- Explain relation between the hereditary structure of offspring and parents in the cases of sexual reproduction and asexual reproduction.

7- A race car can move from rest position and its speed reaches 100 km/hr through 20 seconds. Calculate the acceleration of the car.

Exam Two

Answer of the following questions:

Question1:

a- Define each of the following:

- 1- the speed.
- 2- the acceleration.
- 3- the fertilization.
- 4- the universe.


b- Give reason for the following statements scientifically:

- 1- The uniform velocity of a car can not be obtained practically.
- 2- The moving car with a certain speed seems to be at rest to the moving observer with the same speed and same direction.
- 3- The long sightedness is treated by a suitable convex lens.
- 4- The lens has two centres of curvatures (C_1 , C_2).

c- Choose the correct answer for the following statements:-

1- An incident ray falls on a reflection surface at angle :

- | | |
|----------------|---------------|
| 1- Zero | 2- 90° |
| 3- 180° | 4- 30° |



2- If the radius of curvature of a lens equals 20 cm, so its focal length equals.

- | | |
|----------|----------|
| 1- 5m | 2- 10 cm |
| 3- 20 cm | 4- 10 m |


Exam Two

Question 2:

a- Complete the following statements

- 1- The heredity material in the nucleus of the cell consists of a number of
- 2- From examples of asexual reproduction is the budding in the fungi.
- 3- The arrangement of the chromosomes pairs in the first prophase in the line the cell
- 4- The scientist who establish the Nebula theory is

b- Draw the figure in your answer paper, then complete to obtain virtual, upright, enlarged image for the object(A)



c- Choose the correct answer:

First: the reproduction which considered as a source of genatic variation is a reproduction

- | | |
|-------------|----------------|
| 1- budding. | 2- vegetative. |
| 3- sexual . | 4- asexual. |

Second: the ability of some animals to compensate the missing parts is called

- | | |
|------------------|------------------|
| 1- biological. | 2- reproduction. |
| 3- regeneration. | 4- budding. |

Exam Two

Third : Which the physical quantities is a scalar quantity

- | | |
|---------------------------------------|-----------------------------------|
| 1- The radius and the area. | 2- the time and the force. |
| 3- the acceleration and the velocity. | 4- the mass and the displacement. |

Question 4:

A lens is placed in front of sun rays, a very small real image for the sun is formed at a distance 20 cm from the optical centre of the lens, if this lens is used to form virtual, upright enlarged image for a body. Which of the following distances from the optical centre is correct?

- | | |
|----------|----------|
| 1- 10 cm | 2- 20 cm |
| 3- 40 cm | 4- 50 cm |

Question 5 :

A- Alfred Hale depended on the scientific facts to his assumption about the origin of the solar system

Discuss the statment and explain.

- 1- the fact with drawing.
- 2- the hypothesis of Alfred Hale theory.

B- Compare between the short and the long sightedness according to :

- 1- the type of lens which is used to treat each one.
- 2- the reason of each one.

Exam Three

Question 1

A- Choose the correct answer:

1- The scientist who establish the Nebula theory is

- | | |
|-----------------|-------------|
| a- Chamberlain. | b- Molten. |
| c- Alfred hale. | d- Laplace. |

2- Crossing over phenomenon takes place in

- | | |
|--------------------|---------------------|
| a- first prophase. | b- first metaphase. |
| c- first anaphase. | d- first telophase. |

3- From the examples of vector physical quantities

- | | |
|---------------|------------------|
| a- the mass. | b- the velocity. |
| c-the length. | d-the time. |

4- The measuring unit of the velocity is the

- | | |
|--------------------|--------------------------------|
| a- meter. | b- meter/second. |
| c- Meter x second. | d- meter/second ² . |

5- The straight line joins between the center of curvature of the lens and its optical center is called

- | | |
|------------------------|-----------------------------|
| a- the focal length. | b- the principle axis. |
| c- the secondary axis. | d- the radius of curvature. |

Exam Three

B- Compare between each of the following

1- Mitosis cell division and meiosis cell division according to:

- a- The place of occurrence.
- b- The number of chromosomes in the resulted cells.

2- The short sighted and the long sighted in accordance to:

- a- The definition of each.
- b- The position of the image.

Question 2 :

A- Write the scientific terms for each of the following statements:

- 1- The point at which the rays which incident parallel to each other and parallel to the principle axis of the concave mirror are collected.
- 2- The point of connection of the two chromatides together.
- 3- The change of the displacement relative to the time.
- 4- The distance covered per unit time.
- 5- The cells produced from meiosis cell division and contains half number of chromosomes.

B- Give reason:

- 1- The sexual reproduction is a source of variation between individuals.
- 2- The stability of the earth in an orbit around the sun.

Exam Three

Question 3 :

A- Complete the following statements :

- 1- A virtual, erect and enlarged image can be formed by mirror.
- 2- The incident light ray parallel to the principal axis of the convex lens penetrates the lens passing by
- 3- The acceleration is quantity.
- 4- The spindle fibres are formed during the cell division in phase and disappear in the phase
- 5- From the forms of asexual reproduction are, and

B- The displacement that covered by a moving body through different times are recorded in the following table

The displacement (m)	10	20	30	40	50	60
The time (second)	5	10	15	20	25	30

- 1- Represent the relation graphically.
- 2- Calculate the velocity from the graph.

Question 4 :

A- Correct the underlined words

- 1- The nuclei disappear during the mitosis cell division in telophase.
- 2- From the scalar physical quantities is the force.
- 3- The yeast fungus reproduces asexually by regeneration.
- 4- The focus is a point inside the lens, the principal axis passing through it.
- 5- The focal length of the mirror = 2 × the radius of curvature of the mirror.

Exam Three

B- A convex lens its focal length is 10 cm, if an object is placed at a distance 20 cm from the lens.

- 1- Calculate the distance between the lens and the image formed.
- 2- Mention the properties of the image.

Exam Four

Question 1 :

A- Choose the correct answer :

1- Spindle fibers appear during cell division in the

- a- prophase.
- b- metaphase.
- c- anaphase.
- d- telophase.

2- Starfish reproduces asexually by

- a- regeneration.
- b- binary fission.
- c- budding.
- d- spores.

3- is used to treat the short sightedness

- a- convex lens.
- b- concave lens.
- c- convex mirror.
- d- concave mirror.

4- From the examples of scalar quantities is

- a- the velocity.
- b- the mass.
- c- the force.
- d- the acceleration.

5-The speed equals

- a- $\frac{\text{the distance}}{\text{the time}}$
- b- $\frac{\text{the time}}{\text{the distance}}$
- c- the distance x the time.
- d- the distance + the time.

B- Compare between each of the following:

- 1- The reproduction by regeneration and the reproduction by budding.
- 2- The Nebula theory and crossing star theory.

Exam Four

Question 2 :

A- Write the scientific term :

- 1- The distance covered per unit time.
- 2- The line joins the center of curvature of the lens and its optical center.
- 3- A defect results due to the formation of the image behind the retina of the eye.
- 4- Asexual reproduction by using vegetative organs except seeds.
- 5- Cellular division which leads to the formation of gametes.

B- Give reason for :

- 1- Concave mirrors are used to generate high heat energy.
- 2- Cellular division begins with interphase.

Question 3 :

A- Complete the following statements :

- 1- The displacement is considered as..... quantity, while the density is considered as quantity.
- 2- Amoeba reproduces asexually by , while the bread mould fungus reproduces by
- 3- Crossing over phenomenon occurs during phase of the division .
- 4- From the types of mirrors are and

Exam Four

5- From the properties of the image formed by the concave lens are virtual and upright.

B- If the number of chromosomes in a human pancreatic cell is 23 pairs of chromosomes, what is the number of chromosomes in the following cells:

- 1- Skin cell.
- 2- sperm.
- 3- Fertilized ovum.

Question 4 :

A- Correct the underlined words:

- 1- A moving car covers a distance of 500m in 25 sec, so its speed equals 200 m/sec.
- 2- Sexual reproduction takes place in plants by spores.
- 3- Chromosomes arranged along cell equator in the anaphase.
- 4- Euglena reproduces asexually by budding.
- 5- A concave lens is used to treat the long sightedness .

B- what is meant by :

- 1- The acceleration.
- 2- The relative velocity .
- 3- The centromere.

Exam Five

Question 1 :

A- Complete the following statements :

- 1- When the object lies in front of lens, a virtual diminished image is formed.
- 2- The movement path may be or or both of them.
- 3- Molecules of metal is used to detect cells of cancer and rays are used to destroy them.
- 4- In plants, male gametes are called while female gametes are called

Question 2 :

A- Compare between each of the following :

- 1- The uniform speed and the irregular speed.
- 2- Assumptions of Nebular theory, and crossing star theory.

B- Choose the correct answer between the brackets

- 1- Virtual image is formed by
(plane mirror - concave lens - convex mirror - all the previous)
- 2- Meiosis division occurs in cells.
(liver - skin - bones - testis)
- 3- when an object moves with acceleration = zero
This means that the (speed is changed - acceleration increases - body moves with deceleration - speed of the body is constant)

Exam Five

Question 3 :

A- A body of length 4 cm at a distance of 6 cm from convex lens, its focal length is 3 cm .

- Draw a diagram to show the path of the rays falling on the lens and the refracted ones from it.
- Mention the properties of the formed image .
- Showing the length of the image and the radius of the lens .

B- A body moves from rest, its velocity reaches 20 km/hr after 5 sec. Calculate the acceleration of the body.

C- Two trains move in two parallel different ways in opposite directions

If the speed of the first train 60 km/hr and the second moves by speed 10 km/hr. Calculate the speed of the first train that observed by passengers in the second train.

Question 4 :

Put the sign (✓) in front of the correct answer and the sign (X) in front of incorrect answer:

- 1- The distance is a vector quantity and the displacement is a scalar quantity. ()
- 2- The year of Saturn planet is an earth's year. ()
- 3- The images formed by plane mirror is real. ()

B- Give reason for :

- 1- The body moves by acceleration can't move with constant speed .

Exam Five

- 2- The convex mirror is placed in the left side of the driver.
- 3- The individuals resulted from the sexual reproduction are not similar to their parents.

Question 5 :

A- Show by drawing only :

- 1- The position of focus in the convex mirror.
- 2- The type and the role of lens used to treat the short sightedness .
- 3- Crossing over phenomenon occurs at the end of prophase 1 during meiosis division.

B- Define each of the following:

- 1- Crossing over phenomenon.
- 2- The general law of gravitational attraction.
- 3- The DNA.

Exam Six

Question : 1

Complete the following :

- 1- When a body lies in front of a concave mirror at a distance of from its focal length, a real, smaller and image is formed.
- 2- In fertilization process, combination takes place between and to form the zygote.
- 3- Force is considered physical quantity and mass is considered physical quantity.
- 4- The difference between the length of the day from planet to another is due to,

Question 2 : Compare between each of the following :

- 1- Long sightedness and short sightedness.
(definition - the position of the formed image - treatment)
- 2- Somatic cells and reproductive cells.
(No. of chromosome - no. of produced cell - type of division)
- 3- Convex mirror and concave mirror .
(Focal length - center of curvature)

Question 3: Give Reason:

- 1- Shrinking of spindle fibers during the anaphase of mitosis division.
- 2- The number of chromosomes is constant in the same species which reproduce sexually.
- 3- No image is formed in the focus of convex lens.
- 4- The mitosis division is important for children than the meiosis.

Exam Six

Question : 4

A- Show by graphical drawing the relation between (speed - time) which represents the following cases

- 1- A body moves with uniform speed 60 km/h.
- 2- A body moves with uniform accelerating motion 15 m/s^2 .

B- A car moves with speed 80 m/s . If the driver used the brakes to decrease the speed so it decreased by 2 m/s^2 .

Calculate its speed after 12 seconds from using the brakes?

Question : 5

A- What happened:-

- 1- When the nebula loses its temprature in Laplace's opinion.
- 2-Occuring of crossing over at the end of prophase 1 in meiosis division.
- 3- If the gravity of earth disappear.

B- Show by experiment:

- 1- Steps of making a slide for the onion plant cells from onions root tips.
- 2- Determination of the focal length of concave mirror.

Answer of General Exams

Model answer of the third model exam

Question 1:

A- Choose the correct answer

- 1- d. Laplace. 2- a- first prophase.
3- b- the velocity. 4- b- m/sec. 5- b- principal axis.

B- Compare between each of the following (answer by your self).

Question 2:

A- Write the scientific term:-

- 1- the focus. 2- centromere.
3- the velocity. 4- the speed. 5- gametes.

B- Give reason for: (answer by yourself)

Question 3:

A- Complete the following statements:

- 1- convex mirror. 2- the focus. 3- vector.
4- prophase - telophase 5- budding - binary fission - spores.

B- Draw by your self:

$$\text{The velocity} = \frac{20 - 10}{10 - 5} = \frac{10}{5} = 2 \text{ m/sec.}$$

Question 4:

A- Correct the underlined word:

- 1- prophase. 2- the mass. 3- budding.
4- the optical center. 5- the focal length x2.

B- 1- The image will be at 20 cm from the lens.

2- The image is real, inverted and equals to object.

General Answer of Exercises

The Model answer of the fourth model exam

Question 1:

A- Choose the correct answer:

- | | |
|---|----------------------|
| 1 - a) prophase. | 2 - a) regeneration. |
| 3 - b) concave lens. | 4-b) the mass. |
| 5- a) $\frac{\text{the distance}}{\text{the time}}$ | |

B- Compare between each of the following (answer by yourself)

Question 2:

A- Write the scientific term:

- | | |
|----------------------|-----------------------------|
| 1- The speed. | 2- The principal axis. |
| 3- long sightedness. | 4- vegetative reproduction. |
| 5- meiosis. | |

B- Give reason for: (answer by yourself)

Question 3:

A- Complete the following statements:

- | | |
|---------------------------------------|-----------------------------|
| 1- Vector quantity - scalar quantity. | 2- Binary fission - Spores. |
| 3- Prophase - First meiosis. | 4- Plane, spherical. |
| 5- Virtual, erect, diminished. | |

- | | |
|---------------------------------------|--------------------|
| B- 1- 23 Pairs of chromosomes. | 2- 23 Chromosomes. |
| 3- 23 Pairs of chromosomes. | |

Question 4:

A- Correct the underlined words:

- | | | |
|--------------------|-----------------------|---------------|
| 1- 20m/sec. | 2- Seeds. | 3- metaphase. |
| 4- binary fission. | 5- Short sightedness. | |

B- What is meant by? (Answer by yourself) .

References

في ضوء القوجه العلمى والتربوى الذى ارتكز عليه إعداد هذا الكتاب، فإنه يمكن الاستعانة بهذه المراجع:

- Dispezio, M. ; et al. (2008). Science Insight - Exploring Living Things. Scott Forsman - Addison Wesley.
- Dispezio, M. ; et al. (2008). Science Insight - Exploring Matter and Energy. Scott Forsman - Addison Wesley.
- Exline, J. D. (2008). Science Explorer - Earth's Changing Surface. Prentice Hall.
- New Star Science, Ginn.
- Heinemann Explore Science, Heinemann.
- Advanced Level Physics . Nelkon & Parker.
- College Physics By R. Serawy & J. Foughn, 2nd Ed. Saunders College Publishing.
- Fundamentals of Physics
D.Halliday, R. Resnick, J. Walker
Publisher :J. Wiley, 1993 .

- موسوعة الشباب في المعلومات، د. عبد الباسط الجمل.
- الكتاب الكبير عن الفضاء والمكان، ولیم أدهورز.
- الموسوعة العلمية الشاملة - مكتبة لبنان ناشرون - بيروت.
- أنشطة إبداعية في العلوم للمرحلة الابتدائية، المركز القومى للبحوث التربوية بالتعاون مع هيئة التعاون الدولية اليابانية (الجاياكا).
- كتاب المعرفة في جسم الإنسان، موسوعة سؤال وجواب في جسم الإنسان، مهرجان القراءة للجميع، مكتبة الأسرة.
- كتاب الصوت والضوء، سلسلة القراءة للجميع، مكتبة الأسرة.
- أساسيات الفيزياء / تأليف : ن . بوش.
- الكهربائية والمغناطيسية / تأليف : د . منصور محمد حسب النبي.
- موسوعة العلماء والمخترعين / إعداد : د . إبراهيم بدران - د . محمد فارس.
- الفيزيكا للصف الثاني الثانوي / تأليف : أ . د . محمد عبد المقصود النادي - أ . د . نايل بركات محمد الجهاز المركزي للكتب الجامعية والمدرسية - مصر.

المواصفات الفنية:

مقاس الكتاب:	$\frac{1}{8}$ (٨٢ × ٥٧) سم
طبع المتن:	٤ لون
طبع الغلاف:	٤ لون
ورق المتن:	٨٠ جم أبيض
ورق الغلاف:	٢٠٠ جم كوشيه
عدد الصفحات بالغلاف:	١٦٤ صفحة

<http://elearning.moe.gov.eg>

جميع حقوق الطبع محفوظة لوزارة التربية والتعليم
داخل جمهورية مصر العربية



Al Kwmia Press